



MENTAL HEALTH ASSISTANT (MHA)
USER MANUAL

PATCH YS*5.01*71

Version 5.01

June 2002

Department of Veterans Affairs
Veterans Health Administration
Office of Information

Preface

NOTE: The Veterans Health Administration (VHA) fully supports Section 508 of The Rehabilitation Act and is committed to equal access for all users. While every effort has been made to ensure Section 508 compliance, we realize that there may be other issues. If you have questions or would like to see a copy of the Compliance Action Plan for future releases, please contact:

Katie Thomas, Project Manager
Software Design and Development
Clinical Specialties, Team 4
Phone# 817-652-6171
email: katie.thomas@med.va.gov

VISTA Mental Health Assistant (MHA) Software Application

The Veterans Health Information Systems and Architecture (**VISTA**) Mental Health Assistant (MHA) User Manual for Patch YS*5.01*71, provides the Department of Veterans Affairs Medical Center (DVAMC) Information Resource Management (IRM) staff and other DVAMC users with a straightforward means for implementing and utilizing the MHA GUI software application. Detailed instructions, functional requirements, and examples for using the MHA GUI software application are illustrated in this user manual.

Intended Audience

The intended audience for the MHA User Manual includes mental health clinicians, clerks, and patients.

MHA User Manual Sections

The MHA User Manual (patch YS*5.01*71) focuses on easy-to-follow step-by-step instructions. This user manual consists of the following sections:

NOTE: The screen captures examples text is written in support of Section 508 compliance. Commands to utilize options are bolded.

Table Of Contents: Provides references to major chapters and/or sections of the user manual.

Introduction: This section conveys the major functions, purposes, and how the software accomplishes the objectives.

Package Management: This section addresses unique legal requirements and responsibilities pertaining to the MHA software application and necessary security measures to protect the integrity of the software and its data. Listed in this section are mail groups, alerts, security keys, Database Integration Agreements (DBIAs), and the required VA FileMan access codes.

Package Operation: This section describes what the user needs to know in order to competently operate the MHA software application, including screen captures examples.

Glossary: This section contains the glossary of terms that are related to the MHA software application.

Appendix A: This section contains a list of shortcut keys use in the Mental Health Assistant Graphical User Interface software application:

Appendix B: This section contains descriptions of the many window commands and features used in MHA.

Acknowledgements

In support of Veterans Health Administration (VHA) Office of Information mission to provide exceptional Information Technology services to support the delivery of the best health care to veterans, the Dallas Office of Information Field Office (OIFO) MHA Development Team would like to acknowledge the following dedicated VHA employees for their collaboration in designing, developing, and testing of the MHA software application:

Dallas Office of Information Field Office MHA Development Team

Mark Devlin, Developer, Team Leader
Vickey Elijah, Software Quality Analysis
Chris Flynn, Functional Analyst
Yui-Li Hsu, Developer
Rose Kirby, Technical Writer
Randy Morton, Developer
Sheri Schneider, Project Planner
Katie Thomas, Project Manager

Informatics Section Mental Health Strategic Healthcare Group

Dale Cannon, PhD, Psychologist/MHSHG Project Partner
Robert (Bob) Feldman, Delphi Programmer
Allan Finkelstien, PhD, Psychologist/M Programmer
Roger Schultz PhD,, Psychologist/Delphi Programmer

National Database Integrations (NDBI)

Susan Moody, Technical Writer

Test Sites

Minneapolis Veterans Affairs Medical Center

Edmund J. Nightingale, PhD, Chief of Psychology

Paul Aribisi, PhD, Psychologist

Carl Isenhardt, PhD, Psychologist

Rhonda Feuerstein, IRM Liaison

**North Florida/South Georgia Veterans Health Care System
(Gainesville/Lake City)**

Jeff Burk, PhD, Chief of Psychology

Carolyn Poye, IRM Liaison

Salt Lake City Veterans Affairs Medical Center

William Thatcher, MD, Mental Health Care Center Director

Dale Sterner, Addictions Therapist

Cynthia McCarthy, IRM Liaison

VA Health Care Network Upstate New York System

Allan Finkelstein, PhD, Psychologist/MH Coordinator

Jason Chang, IRM Liaison

VA North Texas Health Care System (Dallas/Bonham)

James Besyner, PhD, Chief of Psychology

Bill Bell, MH Coordinator

Lisa Eason, IRM Liaison

Orientation

MHA Documentation Retrieval Information

MHA Installation Guide and User Manual files are exported in the following formats:

FILE NAMES	CONTENTS	RETRIEVAL FORMATS
=====	=====	=====
YS50171_MHA_IG.PDF	YS*5.01*71 MHA Installation Guide	Binary
YS50171_MHA_UM.PDF	YS*5.01*71 MHA User Manual	Binary
YS50171_MHA_IG.DOC	YS*5.01*71 MHA Installation Guide	Binary
YS50171_MHA_UM.DOC	YS*5.01*71 MHA User Manual	Binary

MHA Documentation Retrieval Locations

NOTE: All sites are encouraged to use the File Transfer Protocol (FTP) capability. Use the FTP address “*download.vista.med.va.gov*” (without the quotes) to connect to the first available FTP server where the files are located.

MHA Installation Guide and User Manual files are available on the ANONYMOUS.SOFTWARE directories at the following Office of Information Field Offices (OIFOs).

OI FIELD OFFICE	FTP ADDRESS	DIRECTORY
=====	=====	=====
ALBANY	ftp.fo-albany.med.va.gov	[ANONYMOUS.SOFTWARE]
HINES	ftp.fo-hines.med.va.gov	[ANONYMOUS.SOFTWARE]
SALT LAKE	ftp.fo-slc.med.va.gov	[ANONYMOUS.SOFTWARE]

Website Locations:

The **VISTA** MHA Installation Guide (i.e., YS50171_MHA_IG.PDF and YS50171_MHA_IG.DOC) and MHA User Manual (i.e., YS50171_MHA_UM.PDF and YS50171_MHA_UM.DOC) in Portable Document Format (PDF) and MS Word (DOC) Format are available at the following **VISTA** Intranet locations:

Mental Health Version 5.01 Home Page:

<http://vista.med.va.gov/ClinicalSpecialties/menthlth/Index.html>

VISTA Documentation Library (VDL):

<http://vista.med.va.gov/vdl/#App78>

Related Manuals

VISTA Mental Health (MH) Addiction Severity Index Multimedia Version (ASI-MV)
Installation and User Guide Patch YS*5.01*67

Table Of Contents

PREFACE	I
VISTA MENTAL HEALTH ASSISTANT (MHA) SOFTWARE APPLICATION	I
<i>Intended Audience</i>	<i>i</i>
<i>MHA User Manual Sections</i>	<i>ii</i>
ACKNOWLEDGEMENTS	III
ORIENTATION	V
MHA DOCUMENTATION RETRIEVAL INFORMATION	V
<i>MHA Documentation Retrieval Locations</i>	<i>v</i>
<i>Website Locations:</i>	<i>vi</i>
Mental Health Version 5.01 Home Page:	<i>vi</i>
VISTA Documentation Library (VDL):	<i>vi</i>
<i>Related Manuals</i>	<i>vi</i>
INTRODUCTION	13
VISTA Mental Health Assistant (MHA) Software Features:	13
ASI Functionality	14
New ASI Tab:	14
User-Friendly Interface:	14
Edit/Sign an Unsigned ASI Report:	14
Data Views:	14
Domain Scores:	14
Item Trends:	14
GAF Functionality	15
GAF TabS:	15
GAF Criteria:	15
GAF Previous Ratings:	15
GAF Toggle Buttons:	15
Enter/Retrieve GAF Ratings:	15
GAF Editing Rating:	15
GAF Due:	15
Psychological Tests and Interviews Functionality	16
Order Tests Tab:	16
Psychological Test Data Entry:	16
Reports and Graphical Displays:	16
Psychological Test Orders:	16
Users Selection:	16
Display Combinations:	16
Graphing Multiple Instances:	16
Copying:	16
Test Results Tab:	16

PACKAGE MANAGEMENT	17
CONTINGENCY PLANNING	17
LEGAL REQUIREMENTS	17
ELECTRONIC SIGNATURE CODE	17
FILE SECURITY	17
SECURITY KEYS	17
ALERTS	17
REMOTE PROCEDURES	18
<i>MH YT and YS RPCs</i>	18
<i>New Registration DG RPCs</i>	19
WINDOWS CONVENTIONS	20
SECURE DESKTOP INFORMATION	20
<i>Patient Entry</i>	21
<i>First Warning Dialog Box</i>	22
<i>Second Warning Dialog Box</i>	22
<i>Authorized Keystrokes</i>	23
<i>Unauthorized Keystrokes</i>	23
<i>Excessive Use of Unauthorized Keystrokes</i>	23
<i>Termination of Mental Health Assistant</i>	23
PACKAGE OPERATION	25
STARTING MHA SOFTWARE APPLICATION	26
<i>Selecting a VISTA Server</i>	26
<i>VISTA Sign-on</i>	26
<i>VISTA Sign-on</i>	27
<i>MHA Crash Recovery Files</i>	28
<i>Patient Selection</i>	29
<i>Viewing Patient's Demographics</i>	30
<i>Viewing Patient's Demographics (continues)</i>	31
MENTAL HEALTH ASSISTANT MAIN WINDOW	32
<i>Selecting Mental Health Assistant Tabs</i>	32
Select New Patient	34
Selecting Report/Tables Print option	36
Selecting Report/Tables Copy option	37
Selecting Report/Tables Copy option (continues)	38
Selecting Report/Tables Save As option	39
Selecting Report/Tables Save As option (continues)	40
SELECTING GRAPHS FROM THE FILE MENU	41
<i>Selecting Graphs PRINT</i>	42
<i>Selecting Graphs COPY</i>	43
<i>Selecting Graphs SAVE AS</i>	44
<i>Selecting Exit from File Menu</i>	45
ACTIONS MENU	46
TOOLS MENU	51
<i>Selecting DEFAULT START TAB</i>	52
<i>Selecting START TAB (continues)</i>	53

<i>Selecting DEFAULT FORM SIZE/POSITION option</i> -----	54
HELP MENU -----	55
<i>Selecting SHOW HINTS</i> -----	55
<i>Selecting TEST INFORMATION</i> -----	56
<i>Selecting ABOUT option</i> -----	57
Selecting Test Results Tab -----	58
Sort by Date or Name -----	58
<i>Selecting ENLARGED REPORT option</i> -----	59
<i>Selecting ENLARGED REPORT option (continues)</i> -----	60
<i>Selecting Copy</i> -----	61
<i>Selecting Copy (continues)</i> -----	62
<i>Select Print option</i> -----	63
<i>Save To File option</i> -----	64
<i>Save To File (continues)</i> -----	65
<i>Return option</i> -----	66
<i>Append Comments option</i> -----	67
<i>Append Comments (continues)</i> -----	68
<i>Append Comments Cancel option</i> -----	69
<i>Append Comments Save option</i> -----	70
<i>Append Comments Save option (continues)</i> -----	71
Multi-Scale Graphs -----	72
Enabling Multi-Scale Graphs -----	72
Requesting Multi-Scale Graphs -----	73
Selecting Dates for Tests to be Graphed, Part 1 -----	74
Selecting Dates of Tests to be Graphed, Part 2 -----	75
Selecting Scale Group, Part 1 -----	76
<i>Selecting Scale Group, Part 2</i> -----	77
<i>Copy Graph</i> -----	78
<i>Paste Graph</i> -----	79
<i>Print Graph</i> -----	80
<i>Save Graph</i> -----	81
<i>Save As</i> -----	82
<i>Copy Table</i> -----	83
<i>Paste Table</i> -----	84
<i>Print Table</i> -----	85
<i>Save Table</i> -----	86
<i>Save Table (continues)</i> -----	87
<i>Return</i> -----	88
<i>Return (continues)</i> -----	89
SELECTING AND ADMINISTERING NEW PSYCHOLOGICAL TESTS -----	90
<i>Order Tests Tab</i> -----	90
Order Tests in Three Ways:-----	90
<i>Order Tests Tab</i> -----	91
Tests Ordered By-----	91
<i>Available Tests</i> -----	92
AVAILABLE TEST transferred to Tests Chosen List Box -----	93

AVAILABLE TEST transferred to Tests Chosen -----	94
Transferring One TESTS CHOSEN back to Available Tests -----	95
Transferring all AVAILABLE TESTS from Tests Chosen-----	96
All Tests Transferred back to Available Tests List Box -----	97
<i>Restarting Incomplete Tests</i> -----	98
<i>Restarting Incomplete Tests (continues)</i> -----	99
<i>Restarting Incomplete Tests (continues)</i> -----	100
<i>Restarting Incomplete Tests (continues)</i> -----	101
<i>Test Batteries</i> -----	102
Test Batteries Cannot Be Created Using MHA -----	102
Transferring TEST BATTERIES to TESTS CHOSEN-----	102
<i>Selecting a Test from Test Batteries</i> -----	103
<i>Transferring TEST BATTERIES to TEST CHOSEN</i> -----	104
<i>Staff Entry</i> -----	105
<i>Staff Entry (continues)</i> -----	106
<i>Staff Entry (continues)</i> -----	107
Staff Entry Window-----	108
Staff Entry Window (continues) -----	109
Answering a Question from Staff Entry window -----	110
<i>Back Up</i> -----	111
Back Up (continues)-----	112
<i>Using the Vertical Scrolls Bar to Back Up</i> -----	113
<i>Using the Vertical Scrolls Bar to Back Up (continues)</i> -----	114
<i>New Question</i> -----	115
<i>New Question (continues)</i> -----	116
<i>Close/Continue</i> -----	117
<i>Close/Continue</i> -----	118
Mental Health Assistant Information Dialog Box YES command -----	119
Mental Health Assistant Information Dialog Box NO command -----	119
<i>Clerk Entry</i> -----	120
Mental Health Assistant Information dialog box -----	121
<i>PTSD Checklist M window</i> -----	122
Entering Data-----	123
Changing a Previous Answer -----	124
Date Test Administered -----	125
<i>Jump</i> -----	126
<i>Return</i> -----	127
<i>Patient Entry</i> -----	128
First Warning dialog box-----	129
Second Warning dialog box-----	129
ADDICTION SEVERITY INDEX (ASI) -----	130
<i>ASI Window</i> -----	130
Selecting a Previous Interview -----	131
Selecting Report Option-----	132
<i>ASI Data Entry</i> -----	133
Drop-Down List Box-----	135

Drop-Down List Box Navigation and Selection: -----	136
Date Items - Part I -----	137
Check Boxes and Check Marks -----	140
Spin Edit - Part I -----	142
Spin Edit - Part II -----	143
Item G8 - Part I -----	144
Item G8 - Part II -----	146
Item G8 - Part III -----	147
Item G8 – Part IV -----	148
Item G12 -----	149
Item G12 (continued) -----	150
Item G19 - Part I -----	151
Item G19 - Part II -----	152
Medical Status -----	153
Medical Status Comments -----	154
<i>Selecting an Unsigned ASI</i> -----	155
Previously Signed ASI -----	156
<i>Business Rules</i> -----	157
<i>Options Menu</i> -----	166
Default Form Size/Position -----	167
Highlight Color -----	167
Speed Tab -----	168
<i>Help Menu Options</i> -----	169
Opening the Help File -----	169
Using the Help Index -----	170
<i>About Mental Health Assistant</i> -----	171
<i>Close an ASI Data Entry form</i> -----	172
<i>New Features</i> -----	173
<i>Domain Scores</i> -----	174
<i>Domain Scores</i> -----	175
<i>Item Trends</i> -----	176
<i>Item Trends (continued)</i> -----	177
<i>Graphing a Different Item</i> -----	178
<i>Returning to the ASI Window</i> -----	179
GLOBAL ASSESSMENT OF FUNCTIONING (GAF) -----	180
GAF Tab -----	180
GAF Tab -----	181
GAF Due -----	182
Mental Health Assistant Information dialog box -----	183
<i>Previous Rating/GAF Criteria</i> -----	184
Entering a Rating Using GAF Criteria -----	185
Entering a Rating Using The Spin Edit Control -----	186
Changing Evaluation Date -----	187
Save -----	188
Edit Rating -----	189
Edit Rating (continue) -----	190

Table Of Contents

Rating Is Marked As Entered In Error -----	191
Edit Rating -----	192
Edit Rating (continues) -----	193
Edit Rating (continues) -----	193
Edit Rating (continues) -----	194
Delete Rating -----	195
GLOSSARY-----	197
APPENDIX A-----	205
SHORTCUT KEYS -----	205
APPENDIX B-----	211
WINDOWS CONVENTIONS -----	211
Text Box-----	213

Introduction

The primary goal is to make the **VISTA** Mental Health Package (MHP) V. 5.01, an effective and more efficient tool for use by mental health clinicians and patients with the creation of a windows based application for the most commonly used options in the MHP. Currently the MHP is administered through **VISTA**'s roll-and-scroll technology. Interviews are generally recorded on paper and entered later by the clinician or clerk because the roll and scroll environment is not conducive to following the natural flow of conversation. The development of a windows based software application to enter and display the Addiction Severity Index (ASI), Global Assessment of Functioning (GAF) score, and 60 psychological tests would make the MHP user-friendlier. This would provide a Graphical User Interface (GUI) format for the entry of ASI assessments, GAF, and displays for the reports and results of psychological tests and interviews.

VISTA Mental Health Assistant (MHA) Software Features:

ASI – Addiction Severity Index:

Graph numeric results from ASI responses.

Functionality to display the ASI entry screens in tabbed sections on one screen.

Create functionality to display ASI test date, type of interview and interviewer and responses to previous interviews.

Create Item report with narrative responses.

Create Narrative reports from ASI responses.

Create Follow-up report from ASI interviews and responses.

GAF – Global Assessment Functioning:

Present GAF scores in a graphical format.

Display on-line cross-reference data with rating criteria.

Provide functionality to notify the user when selected patients have not had a GAF Score within the last 90 days. (GAF Due tab).

Psychological Tests and Interviews:

Graph single scale instruments to reflect trend in patient symptoms.

Create an order entry screen to select tests and interviews.

Create an option for entry of tests and interviews by patients.

Create an option for entry of tests and interviews by staff.

Create a graphical representation of multi-scale instruments.

Create a report of incomplete tests, interviews and batteries by date.

Create a report to print results of psychological interviews and tests.

ASI Functionality

NOTE: The **New ASI** functionality is NOT a self-administered version of ASI, and should NOT be used for patient entry of ASI responses.

New ASI Tab:

The **New ASI Tab** functionality lists all previous ASI interviews and makes it easy to view either the Item Report or Narrative Report for a selected interview. To assist with ASI performance measure compliance, the interval since the last interview is now displayed.

User-Friendly Interface:

This new user-friendly interface functionality allows staff to quickly enter data, to easily jump from one item to another, and to enter free text comments at any time. This functionality should greatly reduce data entry time, whether transcribing interview results from a paper form or entering them on-line during an interview

Edit/Sign an Unsigned ASI Report:

Provides the user the ability to Edit/sign an Unsigned ASI report. This function is enabled ONLY if the selected ASI report is not signed. The previous functionality to limited the signer to the user listed as the interviewer.

Data Views:

Data Views present graphical and tabular data across multiple interviews.

Domain Scores:

Domain Scores functionality provides users with the opportunity to see either problem severity ratings or evaluation factor scores (see Alterman, et al., [1998] “New scales to assess change in the Addiction Severity Index for the opioid, cocaine, and alcohol dependent”, *Psychology of Addictive Behavior*, 12, 233-246). The Domain Scores also consist of the new Data Views functionality.

Item Trends:

Item Trends functionality provides display responses to selected individual items, assist with treatment planning, and treatment outcome monitoring. Item Trends also includes the new Data Views functionality.

GAF Functionality

GAF TabS:

Provides the user with an easy way to enter GAF ratings and to see previous ratings, which are graphed to indicate trends. When entering a new rating, the rating is associated with the GAF rating criteria. This function increases the reliability of ratings and reduces inter-rater variability in the assignment of GAF ratings.

GAF Criteria:

The first display seen when accessing the GAF tab for the first time after a new patient selection is made. The first entry in the Range/Criteria list box is displayed. A rating of 1 is in the New GAF rating spin edit control, the Evaluation Date is set to today's date, and the Save Rating command button disabled.

GAF Previous Ratings:

The GAF Previous Ratings functionality provides a tabular and graphical representation of all previous GAF ratings as well as the rating criteria for the specified new GAF rating.

GAF Toggle Buttons:

Toggle between GAF Previous Ratings and GAF Criteria functionalities.

Enter/Retrieve GAF Ratings:

Enhanced the ability of the staff to enter and retrieve GAF ratings. It provides text and graphical reports of historical data stored in the **VISTA** MHP database.

GAF Editing Rating:

The GAF Edit Rating function allows a user to change or delete a rating made within the previous two days or to mark an older rating as Entered in Error. GAF Ratings can ONLY be edited by the user who entered the ratings. The GAF Ratings function is enabled ONLY if the MHA user entered the selected rating.

GAF Due:

When the GAF Due functionality is activated an Information dialog box is displayed stating "This patient has not had an outpatient GAF in the past 90 days. Would you like to do a GAF rating now?"

Psychological Tests and Interviews Functionality

Order Tests Tab:

Allows users to specify the staff ordering the test and to select from tests that are available to the staff ordering the test. Three data entry modes are available: (1) Staff entry is optimized for the entry of staff rating data (e.g., the AIMS), which requires the user to see the test questions and answers. (2) Clerk entry is optimized for transcribing test data from paper answer sheets. (3) Patient entry is optimized for on-line testing of patients. The patient entry function contains security features to prevent unattended patients from using the PC in unauthorized ways.

Psychological Test Data Entry:

Enhances the ability of both staff and patients to enter psychological test data.

Reports and Graphical Displays:

Creates reports and graphical displays of complex tests by sub category or scales. Allows user to select sets of scores to graph for multi-scale tests.

Psychological Test Orders:

Creates psychological test order windows that displays tests that can be ordered based on the provider privileges.

Users Selection:

Allows users to select multiple tests, interviews, and batteries.

Display Combinations:

Provide functionality to display a combination of scale scores, tables and graphs for an individual patient on one screen.

Graphing Multiple Instances:

Graph multiple instances of the same tests (i.e., 4 CAGE tests given on 4 days).

Copying:

Allows user to copy text reports, data tables, or graphs to the Windows clipboard or to save to a file.

Test Results Tab:

All previous tests completed by selected patient are listed on the Test Results tab. A text report is shown for the selected test, and graphs of numeric scores are available across all instances of a given test.

Package Management

This section addresses any unique legal requirements and responsibilities pertaining to the Mental Health Assistant software application and necessary security measures to protect the integrity of the software and its data.

Contingency Planning

Each facility using the MHA software application **must** develop a local contingency plan to be used in the event of application problems in a live environment. The facility contingency plan **must** identify procedures used for maintaining the functionality provided by the software in the event of a system outage.

Legal Requirements

There are no unique legal requirements pertaining to Mental Health Assistant software application with the exception that some of the psychological tests are copyrighted. Copyrighted tests are used by permission of the copyright holders. Use of these tests must be consistent with contracts between VHA and the copyright holders.

Electronic Signature Code

The MHA Addiction Severity Index (ASI) component utilizes an electronic signature.

File Security

There is no file security associated with the release of MHA.

Security Keys

MHA software application did not release any new security keys, however, the YSP security key is required to control access to the results of “non-exempt” tests. Holders of the YSP security key are controlled (i.e., given out by the Chief of Psychology or a senior psychologist) at a facility that does not have a Chief of Psychology. The Chief of Psychology or senior psychologist also determines which tests are “exempt” (i.e., the results can be seen by anyone), and which are “non-exempt” (i.e., require the YSP key to see the results).

Alerts

No alerts are required for MHA.

Remote Procedures

The **VISTA** MHA Patch YS*5.01*71 contains the following new Remote Procedures (RPCs):

MH YT and YS RPCs

YTAPI ASI FACTORS
YTAPI ASI LISTER
YTAPI ASI PNOTE
YTAPI ASI SAVE DATA
YTAPI ASI SIGNER
YTAPI CLERK RESPONSES
YTAPI GET ASI RESPONSES
YTAPI GET INCOMPLETE
YTAPI LIST INCOMPLETES
YTAPI LISTALL
YTAPI LISTONE3
YTAPI NEW ASI
YTAPI NEW GAF
YTAPI OUTNOTE
YTAPI PREVIEW
YTAPI PRIVLEGE
YTAPI QUEST
YTAPI SAVE INCOMPLETES
YTAPI SAVE TEST COMMENT
YTAPI SAVEIT
YTAPI SCOREIT
YTAPI SHOWALL
YTAPI SHOWIT
YTAPI TEST BATTERY
YTAPI TEST BULLETIN
YTRP INSTRUMENT REPORT
YSRP ASI ITEM
YSRP ASI NARRATIVE

New Registration DG RPCs

NAME: DGWPT CLINRNG TAG: CLINRNG
 ROUTINE: DGWPT RETURN VALUE TYPE: ARRAY
 DESCRIPTION: Returns a list of selectable options from which a user can choose a date range for appointments.

NAME: DGWPT DFLTSRC TAG: DFLTSRC
 ROUTINE: DGWPT RETURN VALUE TYPE: SINGLE VALUE
 DESCRIPTION: Return user's default patient list source.

NAME: DGWPT DIEDON TAG: DIEDON
 ROUTINE: DGWPT RETURN VALUE TYPE: SINGLE VALUE
 DESCRIPTION: Returns date of death if patient has expired. Otherwise returns 0.

NAME: DGWPT SAVDFLT TAG: SAVDFLT
 ROUTINE: DGWPT RETURN VALUE TYPE: SINGLE VALUE
 DESCRIPTION: Saves user's preference for default list source.

NAME: DGWPT SELCHK TAG: SELCHK
 ROUTINE: DGWPT RETURN VALUE TYPE: SINGLE VALUE
 DESCRIPTION: Returns a 1 if the patient record is flagged as sensitive, otherwise returns 0.

NAME: DGWPT SELECT TAG: SELECT
 ROUTINE: DGWPT RETURN VALUE TYPE: SINGLE VALUE
 DESCRIPTION: RPC to return key information on a patient as follows:
 1 2 3 4 5 6 7 8 9 10 11 12 13 14
 NAME^SEX^DOB^SSN^LOCEN^LOCNM^RMBD^CWAD^SENSITIVE^ADMITTED^CONV^SC^SC%^ICN

NAME: DGWPT TOP TAG: TOP
 ROUTINE: DGWPT RETURN VALUE TYPE: ARRAY
 DESCRIPTION: Returns the last selected patient by the defined user.

NAME: DGWPT1 PRCARE TAG: PRCARE
 ROUTINE: DGWPT1 RETURN VALUE TYPE: SINGLE VALUE
 DESCRIPTION: Return primary care information for a patient in the format:
 VAL=Primary Care Team^Primary Care Provider^Attending

NAME: DGWPT BYWARD TAG: BYWARD
 ROUTINE: DGWPT RETURN VALUE TYPE: ARRAY
 DESCRIPTION: Returns a list of patients currently residing on a specified ward location.

Windows Conventions

The startup, setup, and assignment functions for MHA use a Graphical User Interface (GUI). You may refer to the Appendix B, Windows Conventions for an explanation of the windows elements and form buttons used by the module.

Secure Desktop Information

NOTE: The **Patient Entry** function is the only test data entry method that activates the **Secure Desktop** features. Therefore, neither Staff Entry nor Clerk Entry should be used for the on-line testing of patients.

The **Secure Desktop** is a set of security features intended to prevent unattended patients taking on-line tests from using the Personal Computer (PC) for other purposes. The **Secure Desktop** features construct the **Patient Entry window** to cover the entire PC desktop. Non-alphanumeric keys are trapped to keep the patient from using the task bar and operating system functions (such as Task Manager).

The following security features **cannot** be defeated once the Patient Entry window becomes active, so it is essential that all other applications be closed and data saved before Patient Entry begins:

Excessive non-alphanumeric keystrokes are interpreted as “hacking” efforts and MHA is terminated.

At the end of the testing session, MHA is terminated.

On termination of MHA, the Windows NT session is logged off, which means the user has to enter their NT user name and password to log back on to the desktop.

Patient Entry

Example: The following is an example of the **Mental Health Assistant Order Tests window** containing **Patient Entry**. When Patient Entry is selected the Secured Desktop features are activate. After the Patient Entry selection is made, two **Warning dialog boxes** are displayed.

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12,1951 (51) Staff Entry Clerk Entry **Patient Entry** GAF Not Due

Tests Ordered By: Cannon,Dale S

Test Batteries:

Date	Test	Items Answered
FEB 13, 2002	MMPI2	82
FEB 13, 2002	AUDC	3

Available Tests (* = incomplete test):

- AIMS MMPI2*
- AOR NEOPI
- ATQ PAI
- AUDC PCLC
- AUDC PCLM
- AUIR RLOC
- BAI SAI
- BDI SCL9R
- BHS SDES
- BHS SF36
- BPRS SMAST
- BSI STAI
- BUSS SWS
- CAGE SWS
- CRS VALD
- DOM80 WAS
- DOM81 ZUNG
- DOM82
- DOMG
- ERS
- HLCC
- ICL
- IEQ
- JENK
- MATE
- MCM12
- MHLA
- MHLB
- MHLC
- MILL
- MISS
- MMP25
- MMPI2

Tests Chosen:


AUDIT

Test Results Order Tests ASI GAF

Dale S Cannon will be notified of this testing. Dale S Cannon may order any test.


First Warning Dialog Box

Example: The first Warning Dialog Box states “After this programs ends, it is going to automatically log you off from the Windows NT Network.” **Click** on the **YES command button** to proceed. The **YES command button** response displays a **second Warning dialog box**. **Click Cancel** to return to the Windows NT Network.



Second Warning Dialog Box

Example: The second Warning dialog box states, “Use ONLY Alpha-Numeric Keys on the keyboard from this point on.” **Click** the **OK command button** to continue the Patient Entry functions.



Authorized Keystrokes

Authorized keystrokes are entered in response to the on-screen questions. Authorized keys are A..Z, a..z, 0..9, ENTER and SHIFT key. Keystrokes trigger the next question to be displayed.

Unauthorized Keystrokes

Unauthorized keystrokes are entered in response to the on-screen questions. Unauthorized keystrokes are all that are not listed above. Keystrokes trigger the default Windows screensaver to activate, hiding what else is on the screen display. Keystrokes have no other significant effect on the psych test. **USER MUST NOT BE ABLE TO ACCESS UNAUTHORIZED DATA OR PROGRAMS.**

Excessive Use of Unauthorized Keystrokes

Strike 5-10 unauthorized keystrokes. Windows shuts down all active programs and logs off the current user, forcing a user to log on again.

Termination of Mental Health Assistant

Complete a test. Windows shuts down all active programs and logs off the current user, forcing a user to log on again.

Package Operation


This section describes what is needed to successfully use the new Mental Health Assistant software application enhanced components for the Addition Severity Index (ASI), Global Assessment of Functioning (GAF), and Psychological Tests and Interviews.

NOTES:

Please see Appendix A, located in the back of this manual for a list of the shortcut keys used in MHA. The list can be removed from the user manual for easy access and viewing.

Please see Appendix B, located in the back of this manual for a list of the window conventions used in MHA. The list can be removed from the user manual for easy access and viewing.


Starting MHA Software Application

Double click the MHA icon  on the desktop to start. If the user is able to connect to more than one server, the user **must** select the server they want to connect to. Otherwise, **VISTA** login screen appears on the desktop.

Selecting a **VISTA** Server


If the PC Workstation is configured to interact with more than one **VISTA** server, the user will be prompted to select a server from a list of servers. However, most PC workstations are not set up this way. **Note:** The following **Connect To** dialog box example may not be seen.

Example: From the **Connect To** dialog box, **select** the appropriate **VISTA** server and **click on** the **OK** command button.



VISTA Sign-on


Example: From the **VISTA Sign-on dialog box** enter the standard **VISTA** Access Code and Verify Code and **click** the **OK command button** to access **VISTA**.



MHA Crash Recovery Files

When the Mental Health Assistant software application is closed normally after administering psychological testing sessions or ASI data entry, the software prompts the user to save any unsaved data. This process will not occur if MHA is shutdown improperly (i.e., power outage). To prevent data loss resulting from improper program closure, MHA creates a **temporary crash file** on the local PC when psychological tests or ASI data entry is being preformed. This file is updated every time a new entry is made; therefore, the file is always current. Upon normal program closure, this crash file is erased. However, the crash file still exists if MHA is closed improperly. Every time MHA begins, it looks for the temporary crash file on the PC hard drive. If the file exists, the data in the file are uploaded to the **VISTA** MHP database so the user can restart the incomplete psychological test session or ASI data entry.


Example: Whenever the MHA software application is shutdown improperly the following Mental Health Assistant Information dialog box is displayed. **Click on the OK command button** to **save** the data into the temporary MHA crash file.



Patient Selection

The Patient Selection window contains the Patient Selection function. The Patient Selection window is the same functionality used by Computerized Patient Record System (CPRS).


Example: Select the Patient Selection window. **Click** the **vertical scroll bar** to scroll through the **Patients text entry box list** to attain a **Patient Selection**. After the patient selection is made, **click** on the **OK command button** to advance to the next window. **Note:** Alternatively, you may double-click on the selected patient's name, (which eliminates the need to **click** on the **OK command button**) or you may enter the patient's last name in the **Patients text entry box** and **click** on the **OK command button**.



Viewing Patient's Demographics


The Mental Health Assistant window contains the Patient's Demographics functionality.

Example: To view **Patient's Demographics**, select the **Mental Health Assistant window**. Click on the **blue button** (as displayed in this example) located on the upper left side of the window.



Viewing Patient's Demographics (continues)

Example: This is the same Patient Demographics window used for the Enlarged Test Reports. The Copy, Print, Save to File, and Return functions are the same as the Enlarged Test Report function. **Click** on the any one of the desired four **command buttons** located at the bottom of the Patient Demographics window to activate the function.



The screenshot shows a window titled "Patient Demographics" with a yellow background. At the top, it displays "ZZZERROR,ERROR", "111-22-1111", and "1991". Below this is a separator line. The main text area contains the following information:

=====

CIRN MASTER OF RECORD: NOT LISTED

Address: 6 29 Temporary: NO TEMPORARY ADDRESS

UNK. CITY/STATE 92374

County: UNSPECIFIED From/To: NOT APPLICABLE

Phone: UNSPECIFIED Phone: NOT APPLICABLE

Office: UNSPECIFIED

Primary Eligibility: NSC (NOT VERIFIED)

Other Eligibilities:

Patient is Category A based on primary means test

Veteran is eligible and provision of hospital care is mandatory

Primary Means Test Last Applied 'JUN 23,1993' (COMPLETED: JUN 23,1993@10:51)

Medication Copayment Exemption Status: Previously EXEMPT

Requires new exemption. Previously Patient's income below Copay Income Threshold

Test date: JUN 23, 1993

Status : PATIENT HAS NO INPATIENT OR LODGER ACTIVITY IN THE COMPUTER

Currently enrolled in OPTOMETRY VISUAL FIELDS,

Future Appointments: NONE

Remarks:

Service Connection/Rated Disabilities:

Service Connected: NO

Rated Disabilities: NONE STATED


At the bottom of the window, there are four command buttons: "Copy", "Print", "Save to File", and "Return". An arrow points to the "Save to File" button.

Mental Health Assistant Main Window

The **Mental Health Assistant main window** contains the **File, Options, and Help menus**, which are located on the menu bar just below the **Mental Health Assistant main window** label. This **window** also contains the [Test Results](#), [Order Tests](#), [ASI](#), and [GAF](#) tabs, located on the bottom left side of the main window. These tabs represent the four major functions of the MHA software application. You may access the tabs by clicking on the name of the desired tab. It is also possible to specify a [default start tab](#), (i.e., the tab that appears first when a new patient is selected).

Selecting Mental Health Assistant Tabs

Example: From the Mental Health Assistant main window, **click** on the desired tab (i.e., Test Results example), located on the bottom left side of the window, to access the function.




File Menu

The Mental Health Assistant File menu contains the following four options:

1. **Select new patient option** - allows the user to select a patient for all four MH test functions (i.e., Test Results, Order Tests, ASI, and GAF).
2. **Report/Tables option** - contains a drop down list to **Print**, **Copy**, and **Save As**. The Print, Copy, and Save As options allow the user to print and save Report/Tables files to desired locations. The Report/Table option appear as a pop-up window when right click on the window. The pop-up window functions the same way as the drop down list.
3. **Graphs option** - contains a drop down list to **Print**, **Copy**, and **Save As**. The Print, Copy, and Save As options allow the user to print and save Graphs to desired locations. The Graphs option appear as a pop-up window when right click on the window. The pop-up window functions the same way as the drop down list.
4. **Exit option** - allows the user to close MHA.

Select New Patient


Example: From the Mental Health Assistant Test Results window, **click** on the **File** menu. From the **File** drop down menu list, **click** on the **Select new patient** option.



Selecting Reports/Tables


Note: The **Report/Tables command button** is enabled if a text report or a table is already visible in the window.

Example: From the Mental Health Assistant Test Results window, **click** on the **File menu**, located on the left side of the menu bar to pull down the **File** menu. **Click** on the **Reports/Tables** option to display the drop down menu list to **Print**, **Copy**, and **Save As**.




Selecting Report/Tables Print option

Example: From the **Reports/Tables** option, **select the Print option**. This option will print the report, graph, or table that is displayed on the PC desktop.



Selecting Report/Tables Copy option

Example: From the **Reports/Tables** drop down menu, **Click on Copy**. This option will copy the report, graph, or table into the Windows clipboard.



Selecting Report/Tables Copy option (continues)


Example: After **copying** the Report/Table, the Mental Health Assistant Information dialog box is displayed stating, “The test report has been copied to the Windows clipboard. If you like, you may paste into an open text document.” **Click** on the **OK command button** to paste the text document.



Selecting Report/Tables Save As option


NOTE: The default file type for reports is a text file (.txt) extension; for tables and graphs it is the Excel file (.xls) extension.

Example: From the Reports/Tables option drop down list, **click** on the **Save As** command button to save a report or table.




Selecting Report/Tables Save As option (continues)

Example: After the **Save As** function is selected, a Save As window is displayed prompting for a file name.




Selecting Graphs From the File menu

From the Mental Health Assistant Test Results window, **click on File**, from the **File drop down menu list, click on Graphs**. The Graphs drop down menu list contains the Print, Copy, and Save As options, **click on** the desired option to activate the function. **Note:** The Graphs menu is enabled if a Graph is visible.




Selecting Graphs PRINT

Example: From the Mental Health Test Results window, **click** on **File**, from the File drop down menu list, **click** on **Graphs**, then **click** on **Print** to print the graph displayed in the window.




Selecting Graphs COPY

Example: From the Mental Health Test Results window, **click** on **File**, from the File drop down menu, **click** on **Graphs**, then **click Copy** to copy the graph displayed in the window.




Selecting Graphs SAVE AS

Example: From the Mental Health Test Results window, **click** on **File**, from the File drop down menu list, **click** on **Graphs**, then **click Save As** to save the graph displayed in the window.



Selecting Exit from File Menu

Example: From the Mental Health Assistant ASI window, **click** on **File**. From the **File drop down menu list**, **click on Exit** to close a MHA session. MHA sessions can also be closed by **clicking** on the **X**, located on the upper right side of the window title bar.




Actions Menu


The Mental Health Assistant **Actions Menu** is an alternative to the **command buttons** at the top of the active window as well as an alternative method of changing tabs. Each **command button** has a corresponding **menu option**. Every **menu option** has a shortcut (i.e., an Alt-Key combination) that results in the same action as would a click on the corresponding **command button**. Thus, the Actions menu may be helpful to users who do not use a mouse.

The specific menu options shown under the Actions Menus depends on the active window. Whether a menu option is enabled depends on whether the corresponding command button is enabled. Thus, Patient Demographics and GAF Due options are shown on all active windows because the corresponding command buttons are always shown. The Change Tab menu option also is always shown.


When the Test Results window is active, Multi-scale Graphs, Enlarge Reports, and Append Comments menu options are shown.




Example: When the Order Tests window is active, window-specific menu options include Staff Entry, Clerk Entry, Patient Entry, Select Battery, and Delete All Chosen Tests.




Example: Window-specific menu options when the ASI window is active include New ASI, Domain Scores, and Item Trends.



Example: If the GAF window with all the GAF rating criteria is active, menu options include Previous Ratings, Save Rating, and Edit Rating.



Example: If the GAF window with the previous ratings is shown, the window-specific menu options are GAF Criteria, Save Rating, and Edit Rating.



Tools Menu

The Mental Health Assistant Tools menu contains the Start Tab and Default Form/Size Position options.

Start Tab option - determines the screen that appears when the user starts the application. The user may select one of the following:


1. Test Results
2. Order Tests
3. ASI
4. GAF
5. Tab in use when program closed.

The Start Tab allows the user to tailor MHA to their typical work patterns.

Default Form Size/Position option (i.e., checked or not checked) - saves the status from one MHA session to another, so the Default Form Size/Position settings or the user-preferred settings can always be used. The first time a MHA session is started, the **Default Form Size/Position option** is checked and the default settings are used.


Selecting DEFAULT START TAB

Example: From the Mental Health Assistant GAF window, **click** on **Tools**. Click on **Start Tab** and the **Start Tab** window is displayed.



Selecting START TAB (continues)


Example: From the Mental Health Start Tab dialog box, **click** the appropriate **radio button** to make a selection. **Click** the **OK command button** to accept the selection or the **Cancel command button** to cancel the selection.



Selecting DEFAULT FORM SIZE/POSITION option

When the **Default Form Size/Position option** is checked, this function is used. If it is **not** checked, the Default Form Size/Position that was true when the MHA session was closed the last time is used. The status of the **Default Form Size/Position** option (i.e., checked or not checked) is saved from one MHA session to another, so the Default Form Size/Position settings or the user-preferred settings can always be used. The first time a MHA session is started, the **Default Form Size/Position option** is checked and the default settings are used.

Example: From the Mental Health Assistant window, **click on Tools**, and **click on Default Form Size/Position**. The check-mark symbol displayed beside the **Default Form Size/Position option** toggles on and off and the window size will adjust accordingly.




Help Menu

The MHA Help menu contains the Show Hints, Test Information, and the About options:

Selecting SHOW HINTS

MHA contains a large number of hints that pop-up when the cursor passes over various parts of the window. Show Hints explains how to use parts of the MHA application over which the cursor is placed. These hints are helpful for new users of the MHA software application. However, we give the user control over whether or not the hints shall appear. If Show Hints is checked (i.e., which is set as the default the first time MHA is run on a PC) the hints are displayed. If **Show Hints** is selected all hints are turned off. The hints can be turned on again by selecting **Show Hints**. When a MHA session is ended, the status of **Show Hints** (i.e., checked or unchecked) is saved and restored when the next session begins.


Example: From the Mental Health Assistant window, **click** on **Help** and then **click** on **Show Hints**. The check mark shown next to Show Hints toggles on and off, and hints are then displayed when **Show Hints** is checked.



Selecting TEST INFORMATION

Test Information display a Help file containing a brief description of each test in the Mental Health Package. **Test Information** is enabled **only** if the Test Results tab or Order Tests tab function is active.


Example: From the Mental Health Assistant window, **click Help** and **click on Test Information from the drop down list menu**. The following **MHA help file** test examples are displayed. **Pressing F1** when either the Test Results tab or Order Tests tab function is active also displays the MHA help file.



Selecting ABOUT option

NOTE: Please furnish the following information if reporting a problem with MHA.

Example: From the Mental Health Assistant window, **select Help** and **click** on the **About option**. The **About Mental Health Assistant window** is displayed with text stating “Mental Health Assistant (MHA), Module Version: 1.0.0.117, Server Version: NA, Client Patch Version: 1.0.0.117, Sever Patch Version Required: 71, Compile Date: 03/20/2002 10:09:06 AM, CRC: 85747543, Developed by the Department of Veterans Affairs. Unauthorized access or misuse of this system and/or it's data is a federal crime. Use of all data shall be in accordance with VA Policy on security and privacy of the MHA version being used.” A note is also included in the window regarding VHA fully support Section 508 of The Rehabilitation Act. **Click** on the **OK command button**, located on the bottom left side of the window to exit.




Psychological Test Results

All previous tests completed by the selected patient are listed on the [Test Results](#) tab, and one of those tests is always highlighted (by default, the first test in the list is highlighted when the user first access this tab). A text-based report for the highlighted test is shown. If the highlighted test has a numeric score, only one scale, and if the test has been completed more than once, a graphical display of those scores is presented. Buttons on the Test Results tab enable user to invoke other forms that [graph](#) the results of multi-scale tests, show a [full-screen view](#) of the text report for the highlighted test, and enable the user to [append comments](#) to the results of the highlighted test.

Selecting Test Results Tab


Sort by Date or Name

Example: From the Mental Health Assistant main window **click** on the **Test Results tab**, located on the bottom left side of the window. From the **Sort Tests By dialog box**, **click** on the **Date** or **Name radio buttons**. Tests are sorted either in reverse chronological order by date of completion or by name, depending on the selection.



Selecting ENLARGED REPORT option

Example: From the Mental Health Assistant Test Results window, **click** on the **Enlarge Report command button**, located below the menu taskbar, to enlarge the test report display.



Selecting ENLARGED REPORT option (continues)

Example: This is the **Enlarged Test Report** display viewed on the desktop.

The screenshot shows a window titled "Test Report" with a blue title bar. Inside the window, the following text is displayed:

000-00-9770 ZZZZZZZZ,ZZZ M AGE 51 05/16/2002 02/13/2002
 PRINTED ENTERED

--- Alcohol Use Disorders Identification Test ---

S C A L E RAW


Total 18 0

A score of 8 or more indicates a strong likelihood of hazardous or harmful alcohol consumption.

At the bottom of the window, there are four buttons: "Copy", "Print", "Save to File", and "Return". An arrow points to the "Print" button.


Selecting Copy

Example: To copy a **Test Report**, click the **Copy command button**, located at the bottom right of the **Test Report window**. The Test Report is then copied onto the Window's clipboard to be pasted into an open text document.




Selecting Copy (*continues*)

Example: After the Test Report is copied, the Mental Health Assistant Information dialog box is displayed stating, “The test report has been copied onto the Window’s clipboard. If you like, you may paste it into an open text document.” **Click the OK command button** to paste the test report into an open text document.




Select Print option

Example: From the **Test Report window**, click on the **Print command button**, located on the bottom right side of the window. This prints the Test Report that is displayed on the desktop.




Save To File option

Example: To activate the **Save to File** function for a Test Report, **click** the **Save to File command button** located on the bottom right side of the **Test Report window**.




Save To File (*continues*)

Example: The **Save As window** is then displayed for the user to choose to a file name and folder location to save the Test Report.




Return option

Example: From the **Test Report window**, click the **Return command button**, located on the bottom right side of the window to return back to the **Test Results window**.




Append Comments option

Example: From the **Mental Health Assistant main window**, click on the **Test Results** tab, located on the bottom left side of the window. Click on the **Append Comments** command button, located below the menu bar to display the **Append Comments** window.




Append Comments *(continues)*

Example: To **Append Comments** the user **must type** all comments within the **text entry box** displayed in this example.




Append Comments Cancel option

Example: From the **text entry box** type in some comments and **click** on the **Cancel command button**, located on the bottom right side of the of the **text entry box**. The **text entry box** closes without appending the comments to the Test Results Report.



Append Comments Save option

Example: From the **text entry box**, type in comments and **click** the **Save command button**, located on the bottom right side of the **text entry box**. The **text entry box** closes and the comments are appended to the Test Results Report.



Append Comments Save option (*continues*)

Example: After the **Appended Comments** are saved, a message is displayed on the Mental Health Assistant main window stating, “This note will be appended to completed test.”

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt. Info: ZZZZZZ
000-00-9770 Jan 12,1951 (51)

Multi-Scale Graphs Enlarge Report Append Comments GAF Not Due

Date	Test
05/16/2002	CAGE
02/28/2002	ZUNG
02/19/2002	CAGE
02/13/2002	AUDCR
02/13/2002	AUDIT
02/13/2002	CAGE
02/13/2002	MCM12
02/13/2002	SWS

Printed by: FELDMAN,ROBERT D
Ordered by: CANNON,DALE S

000-00-9770 ZZZZZZZ,ZZZ M AGE 51 05/16/2002 02/13/2002
PRINTED ENTERED

Staff Remarks on AUDIT of 02/13/2002

MAY 16, 2002

This is an example of comments that I can add to a test report.

FELDMAN,ROBERT D
NOT VALID UNLESS SIGNED

000-00-9770 ZZZZZZZ,ZZZ M AGE 51 05/16/2002 02/13/2002
PRINTED ENTERED

--- Alcohol Use Disorders Identification Test ---

--- ITEM RESPONSES ---

1 1 2 2 3 1 4 2 5 1 6 2 7 1 8 2 9 1 10 2

Sort Tests By:
☒ 1 Date ☐ 2 Name

Test Results Order Tests ASI GAF


Robert D Feldman may view the results of exempt tests.

Multi-Scale Graphs

Selecting a Multi-Scale test enables the **Multi-Scale Graphs command button** if the user has permission to access the results of non-exempt tests (i.e., user **must** be assigned the YSP key). Selecting a single scale test **disables** the Multi-Scale Graphs button. Selecting a Multi-Scale test (i.e., MMPI-2) **enables** the Multi-Scale Graphs button.


Enabling Multi-Scale Graphs

Example: From the **Mental Health Assistant main window**, click on the **Test Results tab**, located on the bottom left side of the window. Click on a single scale test (e.g., AUDIT, CAGE, or BDI), located in the **Date/Test list box**, located below the blue command button. Click on the **Multi-Scale Graphs command button**, located below the taskbar, when enabled to activate multi-scale graphs. The Multi-Scale graph **MMP12 PROFILE** display is for a patient with two MMPI-2 tests.




Requesting Multi-Scale Graphs

Example: All previous administration selected tests attributes are available on the **MMP12 scores window**. To access any of the previous administration selected tests, from the **Select MMP12 Date(s) list box** select the most recent selected test date (shown in reverse chronological order), indicated by a check mark within the **check box**. The groups of scales for selected test are displayed in the **Select MMP12 Scales list box**, located on the lower left side of window. All scale scores for each administration selected tests date appear in the **Scale/Date list box**, located on the lower right side of the window. The first group of selected scale scores is displayed in the center lower **Scale list box**. That group of scale scores for the most recent selected test is graphed and displayed in the **Validity Scale list box**, located on upper right side of the window.




Selecting Dates for Tests to be Graphed, Part 1

Example: From the **MMP12 scores for Error** window, the **Select MMp12 Date(s)** list box, located on the upper left side of the window, is displaying two **check boxes** showing two **check marks** for two different dates. To check or uncheck dates, **click** on the desired **check box check mark**. **Note:** Checking any of the first five dates in the list will result in those tests being graphed. Checking any date found below the fifth test will result in a message saying only the first five dates can be graphed.




Selecting Dates of Tests to be Graphed, Part 2

Example: From the **MMP12 scores for Error window**, click on the date that is already **checked mark** in the **check box** located in the **Select MMP12 Date(s) list box**, located on the upper left side of the window. **Note:** If the date is already checked it will be unchecked. If the date is unchecked, it will be checked. If the date is not one of the five most recent dates, nothing will happen.




Selecting Scale Group, Part 1

Example: From the **MMP12 scores for Error** window, the **Select MMp12 Scales list box** is displayed in the lower left side of the window. To select a group of scale scores, **click** on the desired group displayed within the **list box**. The selected scale group names, dates, and scores are displayed in the **Scales list box**, located on the lower right side of the window. The Clinical Scales were chosen from the **Select MMPI-2 Scale list box** group of scale scores. The Clinical scale scores for the date checked were graphed. The **Clinical Scales graph** is displayed on the top right side of the window.




Selecting Scale Group, Part 2

Example: From the **MMP12 scores window**, the **Select MMP12 Scales list box** is displayed in the lower left side of the window. To select a group of scale scores (Psychopathic Deviate (Harris-Lingoes)), **click** on the desired group of scale scores (Psychopathic Deviate (Harris-Lingoes)), displayed within the **Select MMP12 Scales list box**. The **Scale list box** is located in the lower center of the window displaying the selected scale group (Pd2 Authority Problems) names, dates, and scores. The MMPI-2 scale Psychopathic Deviate (Harris-Lingoes) group is graphed and displayed in the upper right side of window.




Copy Graph

Example: From the **MMP12 scores window**, select the desired group of scale scores graph to be copied. **Click** on the **Copy Graph command button**, located on the bottom left side of the window to copy the desired group of scale scores graph. After the graph is copied the **Mental Health Assistant Information dialog box** is displayed.




Paste Graph

Example: The Mental Health Assistant Information dialog box is displaying text stating, “The graph has been copied to the Windows clipboard. If you like, you may paste it into another document (e.g., an MS Word document).” To paste a graph, **click** on the **OK command button**, located on the lower center of the **Information dialog box**. The graph is pasted to the Windows clipboard.




Print Graph

Example: From the **MMP12 scores for Error** window, select the desired group of scale scores graph to be printed. **Click** on the **Print Graph** command button, located on the bottom left side of the window to print the desired group of scale scores graphs.




Save Graph

Example: From the **MMP12 scores for Error** window, click on the **Save Graph** tab, located on the bottom left side of the window to save a graph. A **Save As** dialog box is displayed. This allows the user to specify the directory path and filename to be used for saving the graph as a bitmap (BMP) file.



Save As

Example: The **Save As dialog box** is displaying the current Mental Health Assistant default directory in the **Save in drop down list box**. The “Test Scores.bmp” format is the default file name displayed in this example.



Copy Table

Example: From the **MMP12 scores window**, click on the **Copy Table** tab, located on the bottom center of the window. The table is then copied to the Windows clipboard.

The screenshot shows the 'MMP12 scores for Error Zzzerror SSN: 111-22-1111' window. On the left, there are two panels: 'Select MMPI2 Date(s)' with '11/20/2001' selected, and 'Select MMPI2 Scales' with 'Psychopathic Deviate (Harris-Lingoes)' selected. The main area features a line graph titled 'Psychopathic Deviate (Harris-Lingoes)' showing T Scores (40-100) for Pd1 through Pd5. Below the graph is a table of scores for 11/21/2001 and 11/20/2001. The 'Copy Table' button at the bottom is highlighted with an arrow.

Scale	11/21/2001	11/20/2001
Psychopathic Deviate (Harris-Lingoes)		
Pd1 Familial Discord	71	51
Pd2 Authority Problems	55	55
Pd3 Social Imperturbability	46	46
Pd4 Social Alienation	67	73
Pd5 Self-Alienation	58	58
Paranoia (Harris-Lingoes)		
Pa1 Persecutory Ideas	100	82
Pa2 Poignancy	76	69
Pa3 Naivete	41	60


Paste Table

Example: The **Mental Health Assistant Information dialog box** is displaying text stating, “The table has been copied to the Windows clipboard. If you like, you may paste it into an open MS Excel spreadsheet”. **Click** on the **OK command button**, located on the lower center of the **Information dialog box** to paste the table into open MS Excel spreadsheet.




Print Table

Example: From the **MMP12 scores for Error** window, **select** the desired table to be printed from the **Select MMP12 Scales** list box. **Click** on the **Print Table** **tab**, located on the bottom center of the window to print the selected table.




Save Table

Example: From the **MMP12 scores for Error** window, click on the **Save Table** tab, located on the bottom right side of the window to save a table. A **Save As** dialog box is displayed. This allows the user to specify the directory path and filename used for saving the table as a MS Excel (.xls) file.




Save Table (continues)

Example: The **Save As dialog box** is displaying the current Mental Health Assistant default directory in the **Save in drop down list box**. The “Test Scores.xls” Excel File extension is the default file name displayed in this example.




Return

Example: From the **MMP12 scores window**, click on the **Return** command button, located on the bottom right of the window to go back to the main Mental Health Assistant window.



Return (continues)

Example: After **clicking** on the **Return command button**, the **main Mental Health Assistant Test Results window** reappears.



Selecting and Administering New Psychological Tests

Order Tests Tab

The Order Tests tab enables the user to order new tests to administer to selected patient and specify the data entry mode for the ordered tests. First, the user **must** specify the user's name that is requesting the test to be ordered. By default, the user requesting the test to be ordered is identified as the session user. However, another user may be specified as the user requesting the test to be ordered, in which case, the original user's name that requested the test is notified by E-mail that tests were administered in his/her name. The available set of tests that can be ordered depends on the user access privileges (i.e., whether the user ordering the test has the YSP key assigned).

Order Tests in Three Ways:

1. An existing test battery may be selected (i.e., test batteries which are created in **VISTA** MHP database using the MHS Manager\Psych Test Utilities\Test Battery Utility [YSTESTBAT].
2. An incomplete test may be restarted if it has not been too long since it was first started.
3. New tests may be selected individually and their order of administration specified.

Order Tests Permits User to select one of three Data Entry Modes

1. Staff entry, which is optimized for staff data entry when the staff person wishes to see test questions and answers while entering data.
2. Clerk entry, which is optimized for staff data entry when the staff person does not wish to see test questions and answers while entering data. This is the best option to use for transcribing answers from an answer sheet.
3. Patient entry, which is optimized for on-line administration of tests to the patient.

Order Tests Tab

NOTE: Patient entry invokes special security measures to prevent patients from using the PC for and other purpose than answering questions. Because security measures are not invoked for the staff entry and clerk entry modes, they must not be used for the on-line administration of tests to patients.

Tests Ordered By

Example: From the **Mental Health Assistant main window**, click on the **Order Tests tab**, located below the taskbar. Click on the **Test Ordered By drop down list box scroll bar down arrow** to select a different provider. After clicking on the **Test Ordered By drop down list box scroll bar arrow**, a list of providers names are displayed.

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12,1951 (51)

Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By:

- Cannon,Dale S
- Cannon,Dale S
- Cannon,David
- Cannon,George M
- Cannon,Grant W
- Cannon,James
- Cannon,Jennifer
- Cannon,Mark
- Cannon,Michelle D

Incomplete Tests:

Date	Test	Items Answered
FEB-13,2002	AUDC	3

Available Tests (* = incomplete test):

- AIMS
- AOR
- ATQ
- AUDC
- AUDCR
- AUDIT
- AUIR
- BAI
- BDI
- BHS
- BHS
- BPRS
- BSI
- BUSS
- CAGE
- CRS
- DOM80
- DOM81
- DOM82
- DOMG
- ERS
- HLOC
- ICL
- IEQ
- JENK
- MATE
- MCM12
- MHLA
- MHLB
- MHLC
- MILL
- MISS
- MMP2S
- MMPI2
- NEOPI
- PAI
- PCLC
- PCLM
- RLOC
- SAI
- SCL9R
- SDES
- SF36
- SMAST
- STAI
- SW/S
- SW/S
- VALD
- WAS
- ZUNG

Tests Chosen:


Test Results Order Tests ASI GAF

Dale S Cannon will be notified of this testing. Dale S Cannon may order any test.

Available Tests

Which tests appear in the **Available Tests list box** depends on the user's access privileges to order tests (i.e., user must hold the YSP security key). By default, the user that ordered the test is identified as the MHA session user. However, another user may be specified as the user requesting the test to be ordered, in which case, the original user's name that requested the test is notified by E-mail that tests were administered in his/her name.

Example: From the **Mental Health Assistant Order Test window**, to select an **Available Test**, **click** on the desired test name within the **Available Tests list box**, located below the taskbar. The selected text name is then highlighted and ready for transferring to the **Tests Chosen list box**, which is also, located below the taskbar. To transfer the selected test to the **Tests Chosen list box**, **click** on the **> right arrow transfer button**, located on the column between the two **list boxes**. Alternatively, **double-click** on the desired test name in the **Available Tests list box** to transfer the desired test to the **Tests Chosen list box**.



AVAILABLE TEST transferred to Tests Chosen List Box

Example: From the **Mental Health Assistant Order Test window**, the **Tests Chosen list box** is displaying ONE test name that is transferred from the **Available Tests list box** to the **Tests Chosen list box**.

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12,1951 (51) Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By: Cannon,Dale S

Test Batteries: SHARI, NEUR2, IHCB

Incomplete Tests:

Date	Test	Items Answered
FEB-13, 2002	AUDC	3

Available Tests (* = incomplete test):

AIMS	MISS
AOR	MMP2S
ATQ	MMPI2
AUDC	NEOPI
AUDCR	PAI
AUDIT	PCLC
AUIR	PCLM
BAI	RLOC
BDI	SAI
BHS	SCL9R
BHS	SDES
BPRS	SF36
BSI	SMAST
BUSS	STAI
CAGE	SWS
CRS	SWS
DOM80	VALD
DOM81	WAS
DOM82	ZUNG
DOMG	
ERS	
HLOC	
ICL	
IEQ	
JENK	
MATE	
MCM12	
MHLA	
MHLB	
MHLC	

Tests Chosen: MILL

Test Results Order Tests ASI GAF

Dale S Cannon will be notified of this testing. Dale S Cannon may order any test.

AVAILABLE TEST transferred to Tests Chosen

NOTE: An asterisk (*) is appended at the end of an incomplete test name.

Example: From the **Mental Health Assistant Order Tests window**, the **Tests Chosen list box** is displaying the TWO test names that were transferred from the **Available Tests** list box.

Mental Health Assistant in use by: Feldman, Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12, 1951 (51)

Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By: Cannon, Dale S

Test Batteries: SHARI, NEUR2, IHCB

Incomplete Tests:

Date	Test	Items Answered
FEB-13, 2002	AUDC	3

Available Tests (* = incomplete test):

- AIMS, AOR, ATQ, AUDC, AUDCR, AUIR, BAI, BDI, BHS, BHS, BPRS, BSI, BUSS, CAGE, CRS, DOM80, DOM81, DOM82, DOMG, ERS, HLCC, ICL, IEQ, JENK, MATE, MCM12, MHLA, MHLB, MHLG, MISS, MMP2S, MMPI2, NEOPI, PAI, PCLC, PCLM, RLOC, SAI, SCL9R, SDES, SF36, SMAST, STAI, SWS, SWS, VALD, WAS, ZUNG

Tests Chosen: MILL, AUDIT

Test Results Order Tests ASI GAF

Dale S Cannon will be notified of this testing. Dale S Cannon may order any test.

Transferring One TESTS CHOSEN back to Available Tests

Example: From the **Mental Health Assistant Order Test window**, select the desired test name(s) displayed in the **Tests Chosen** list box to transfer back to the **Available Tests** list box. When the desired test name(s) is highlighted, **click** on the **< left arrow transfer button**, located on the column between the two list boxes to transfer the selected test back to the **Available Tests** list box.

Alternatively, double-click on the desired test name(s) displayed in the **Tests Chosen** list box to transfer the selected test back to the **Available Tests** list box.

The screenshot shows the 'Mental Health Assistant' window for user 'Feldman, Robert D (660VISTA)'. The interface includes a menu bar (File, Actions, Tools, Help) and a patient information section (Pt. Info: 000-00-9770 Jan 12, 1951 (51)). Below this are tabs for 'Staff Entry', 'Clerk Entry', 'Patient Entry', and a 'GAF Not Due' indicator.

The main workspace is divided into three primary sections:

- Tests Ordered By:** A dropdown menu currently set to 'Cannon, Dale S'.
- Test Batteries:** A list containing 'SHARI', 'NEUR2', and 'IHCB'.
- Incomplete Tests:** A table with columns 'Date', 'Test', and 'Items Answered'. It contains one entry: 'FEB 13, 2002', 'AUDC', '3'.

The central section is titled 'Available Tests (* = incomplete test):' and contains a long list of test codes including AIMS, AOR, ATQ, AUDC, AUDCR, AUJR, BAI, BDI, BHS, BHS, BPRS, BSI, BUSS, CAGE, CRS, DOM80, DOM81, DOM82, DOMG, ERS, HLOC, ICL, IEQ, JENK, MATE, MCM12, MHLA, MHLB, MHLC, and MISS.

To the right of the 'Available Tests' list is a 'Tests Chosen' list box. It currently contains 'MILL' and 'AUDIT'. Between the 'Available Tests' and 'Tests Chosen' lists are three arrow buttons: a right arrow (>), a left arrow (<), and a double left arrow (<<).

At the bottom of the window, there are buttons for 'Test Results', 'Order Tests', 'ASI', and 'GAF'. A status bar at the very bottom displays the text: 'Dale S Cannon will be notified of this testing.' and 'Dale S Cannon may order any test.'

Transferring all AVAILABLE TESTS from Tests Chosen

Example: From the **Mental Health Assistant Order Tests window**, click on ALL test names displayed in the **Tests Chosen** list box, located below the taskbar to **transfer** back ALL tests to the **Available Tests** list box. When all test names are highlighted, click on the << **two left arrows transfer button**, located on the column between the two list boxes to transfer ALL tests back to the **Available Tests** list box. Alternatively, **double-click** on all test names displayed in the **Tests Chosen** list box to transfer all tests back to the **Available Tests** list box.

Mental Health Assistant in use by: Feldman, Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12, 1951 (51)

Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By: Cannon, Dale S

Test Batteries: SHARI, NEUR2, IHCB

Incomplete Tests:

Date	Test	Items Answered
FEB 13, 2002	AUDC	3

Available Tests (* = incomplete test):

- AIMS, AOR, ATQ, AUDC, AUDCR, AUJR, BAI, BDI, BHS, BHS, BPRS, BSI, BUSS, CAGE, CRS, DOM80, DOM81, DOM82, DOMG, ERS, HLOC, ICL, IEQ, JENK, MATE, MCM12, MHLA, MHLB, MHLC, MISS, MMP2S, MMPI2, NEOPI, PAI, PCLC, PCLM, RLOC, SAI, SCL9R, SDES, SF36, SMAST, STAI, SW/S, VALD, WAS, ZUNG

Tests Chosen: MILL, AUDIT

Test Results Order Tests ASI GAF

Dale S Cannon will be notified of this testing. Dale S Cannon may order any test.

All Tests Transferred back to Available Tests List Box

Example: From the **Mental Health Assistant Order Tests window**, the **Tests Chosen** list box is now empty. This illustrates that ALL tests have been transferred back the **Available Tests** list box.

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12,1951 (51)

Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By: Cannon,Dale S

Test Batteries: SHARI NEUR2 IHCB

Incomplete Tests:

Date	Test	Items Answered
FEB-13,2002	AUDC	3

Available Tests (* = incomplete test):

AIMS	MILL
AOR	MISS
ATQ	MMP2S
AUDC	MMPI2
AUDCR	NEOPI
AUDIT	PAI
AUIR	PCLC
BAI	PCLM
BDI	RLOC
BHS	SAI
BHS	SCL9R
BPRS	SDES
BSI	SF36
BUSS	SMAST
CAGE	STAI
CRS	SWs
DOM80	SWs
DOM81	VALD
DOM82	WAS
DOMG	ZUNG
ERS	
HLOC	
ICL	
IEQ	
JENK	
MATE	
MCM12	
MHLA	
MHLB	
MHLC	

Tests Chosen:

Test Results Order Tests ASI GAF

Dale S Cannon will be notified of this testing. Dale S Cannon may order any test.

Restarting Incomplete Tests

Whether an incomplete test can be restarted depends on how long ago it was first entered in the **VISTA** Mental Health Package (MHP) database. The permissible lapse is a local site parameter that is set using MHS Manager\Psych Test Utilities\Edit Instrument Restart Limit [YSINST RESTART LIMIT] option.

Incomplete tests entered using the clerk entry method of the MHP roll-and-scroll version, **must** be completed using the **same** method. Incomplete tests **cannot** be completed using the **new** MHA GUI software application. Such tests are shown in normal font.

Example: From the **Mental Health Assistant Order Tests window**, the **Incomplete Tests** list box, located below the **Test Batteries** list box displays an example of the incomplete test Date, Test name, and Items Answered in **strikeout** font.

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 0000-00-9770 Jan 12, 1951 (51)

Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By: Feldman,Robert D

Test Batteries: SHARI, NEUR2, IHCB

Incomplete Tests:

Date	Test	Items Answered
MAY 16, 2002	AUDIT	2
FEB 13, 2002	AUDC	3

Available Tests (* = incomplete test): AIMS, AUDC, AUDCR, AUDIT, AUDIT*, AUIR, BAI, BDI, BPRS, CAGE, DOM80, DOM81, DOM82, DOMG, SAI, SF36, SMAST

Tests Chosen:

Test Results Order Tests ASI GAF

Robert D Feldman may order exempt tests.

Restarting Incomplete Tests (continues)

Restarting an incomplete test from the **Available Tests** list box is no different from starting a new test, so that process is not described here.

Example: From the **Mental Health Assistant Order Tests window**, **Incomplete Test list box**, located on the lower left side of the window displays all incomplete test Dates, Test names, and the number of Items Answered. Incomplete tests that can be restarted are shown in bold font in the **Incomplete Test** list box. These incomplete tests also are included in the **Available Tests list box** with an asterisk appended to the incomplete test name. An alternative method of restarting an incomplete test is to **double-click** on an incomplete test name displayed in the **Incomplete Tests** list box. To run the test, you may first have to start a test and then save the results before you complete the test.

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12,1951 (51) Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By: Cannon,Dale S

Test Batteries: SHARI, NEUR2, IHCB

Incomplete Tests:

Date	Test	Items Answered
MAY 16, 2002	AUDIT	2
FEB-13, 2002	AUDC	3

Available Tests (* = incomplete test):

- AIMS, MHLC, AOR, MILL, ATQ, MISS, AUDC, MMP2S, AUDCR, MMPI2, AUDIT, NEOPI, AUDIT*, PAI, AUIR, PCLC, BAI, PCLM, BDI, RLOC, BHS, SAI, BHS, SCL9R, BPRS, SDES, BSI, SF36, BUSS, SMAST, CAGE, STAI, CRS, SwS, DOM80, SwS, DOM81, VALD, DOM82, WAS, DOMG, ZUNG, ERS, HLOC, ICL, IEQ, JENK, MATE, MCM12, MHLA, MHLB

Tests Chosen:

Test Results Order Tests ASI GAF

Dale S Cannon will be notified of this testing. Dale S Cannon may order any test.

Restarting Incomplete Tests (continues)

Example: From the **Mental Health Assistant Order Tests** window, **double-click** on an incomplete test (bold font) displayed in the **Incomplete Tests** list box to move the incomplete test to the Available Tests list box.

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12,1951 (51)

Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By: Cannon,Dale S

Test Batteries: SHARI, NEUR2, IHCB

Incomplete Tests:

Date	Test	Items Answered
MAY 16, 2002	AUDIT	2
FEB 13, 2002	AUDC	3

Available Tests (* = incomplete test):

- AIMS, AOR, ATQ, AUDC, AUDCR, AUDIT, AUDIT*, AUIR, BAI, BDI, BHS, BHS, BPRS, BSI, BUSS, CAGE, CRS, DOM80, DOM81, DOM82, DOMG, ERS, HLOC, ICL, IEQ, JENK, MATE, MCM12, MHLA, MHLB, MHLC, MILL, MISS, MMP2S, MMPI2, NEUPI, PAI, PCLC, PCLM, RLOC, SAI, SCL9R, SDES, SF36, SMAS, STAI, SWS, VALD, WAS, ZUNG


Tests Chosen:

Test Results Order Tests ASI GAF

Dale S Cannon will be notified of this testing. Dale S Cannon may order any test.

Restarting Incomplete Tests (continues)

Example: Double clicking on the **AUDIT incomplete test**, located in the **Incomplete Test** list box moves the AUDIT incomplete test to the **Tests Chosen** list box, located below the taskbar on the right side of the window.



Test Batteries

Test Batteries Cannot Be Created Using MHA

Test batteries **cannot** be created using MHA software application. Instead test batteries **must** be created using the **VISTA** MHP, MHS Manager\Psych Test Utilities\Test Battery Utility [YSTESTBAT] option. Existing test batteries are displayed in the **Test Batteries list box**, located on the left side of the **Mental Health Assistant Order Test window**. (***TIP:** If you are not sure which tests are in a battery, make sure [Show Hints](#) is checked and then single-click on the battery name. The names of the tests that comprise the battery will be shown*). If a battery contains a test not available to the user ordering the test, that test will not be administered

Transferring TEST BATTERIES to TESTS CHOSEN

Test batteries located within in the **Test Batteries list box** may be transferred to the **Tests Chosen** list box, by **clicking** on the **test battery name once** until it becomes highlighted, and then **clicking** on the > right arrow transfer command button, located to the right of the **Test Batteries** list box.

Alternatively, double-clicking on the highlighted test battery name will also transfer the selected test battery from the **Test Batteries list box** to the **Tests Chosen list box**.

Selecting a Test from Test Batteries

Example: From the **Mental Health Assistant Order Tests** window, the **Test Batteries list box** is located on the left side of the window, just below the taskbar. To select a test battery from the **Test Batteries** list box, **click** on the desired test battery name (i.e., **NEUR2**), which becomes highlighted and the test battery selection is completed.

Mental Health Assistant in use by: Feldman,Robert D (660VISTA)

File Actions Tools Help

Pt Info: 000-00-9770 Jan 12,1951 (51) Staff Entry Clerk Entry Patient Entry GAF Not Due

Tests Ordered By: Cannon,Dale S

Test Batteries:

- SHARI
- NEUR2**
- IHCB

Incomplete Tests:

Date	Test	Items Answered
MAY 16, 2002	AUDIT	2
FEB 13, 2002	AUDC	3

Available Tests (* = incomplete test):

- AIMS
- AOR
- ATQ
- AUDC
- AUDCR
- AUDIT
- AUDIT*
- AUIR
- BAI
- BDI
- BHS
- BHS
- BPRS
- BSI
- BUSS
- CAGE
- CRS
- DOM80
- DOM81
- DOM82
- DOMG
- ERS
- HLOC
- ICL
- IEQ
- JENK
- MATE
- MCM12
- MHLA
- MHLB
- MHLC
- MILL
- MISS
- MMP25
- MMPI2
- NEOPI
- PAI
- PCLC
- PCLM
- RLOC
- SAI
- SCL9R
- SDES
- SF36
- SMAST
- STAI
- SW/S
- SW/S
- VALD
- WAS
- ZUNG

Tests Chosen:

Test Results Order Tests ASI GAF

NEUR2 Tests: MISS STAI Dale S Cannon may order any test.

Transferring TEST BATTERIES to TEST CHOSEN

Example: From the **Mental Health Assistant Order Tests** window, the **Test Batteries** list box is located on the left side of the window, just below the taskbar. In this example, a battery named **NEUR2** is highlighted, which is made up of the MISS and the STAI tests. To transfer the selection to the **Tests Chosen** list box, either **double-click** on **NEUR2** or **click** on the “>”right arrow transfer command button, located to the right of the **Test Batteries** list box to transfer the MISS and STAI tests to the **Tests Chosen** list box.

The screenshot shows the 'Mental Health Assistant in use by: Feldman,Robert D (660VISTA)' window. The interface includes a menu bar (File, Actions, Tools, Help) and a patient information bar (Pt. Info: 000-00-9770 Jan 12,1951 (51)). Below this are tabs for Staff Entry, Clerk Entry, and Patient Entry, along with a 'GAF Not Due' button.

The main area is divided into three sections:

- Tests Ordered By:** A dropdown menu showing 'Cannon,Dale S'.
- Test Batteries:** A list box containing 'SHARI', 'NEUR2' (highlighted), and 'IHCB'. A right arrow button is next to it.
- Incomplete Tests:** A table with columns 'Date', 'Test', and 'Items Answered'.

Date	Test	Items Answered
MAY 16, 2002	AUDIT	2
FEB 13, 2002	AUDC	3

The **Available Tests (* = incomplete test):** list includes: AIMS, AOR, ATQ, AUDC, AUDCR, AUDIT, AUDIT*, AUJR, BAI, BDI, BHS, BHS, BPRS, BSI, BUSS, CAGE, CRS, DOM80, DOM81, DOM82, DOMG, ERS, HLOC, ICL, IEQ, JENK, MATE, MCM12, MHLA, MHLB, MHLC, MILL, MMP2S, MMPI2, NEOPI, PAI, PCLC, PCLM, RLOC, SAI, SCL9R, SDES, SF36, SMASST, SW/S, VALD, WAS, and ZUNG.

The **Tests Chosen:** list box contains 'MISS' and 'STAI'. Navigation buttons (>, <, <<) are located between the Available Tests and Tests Chosen sections.

At the bottom, there are buttons for 'Test Results', 'Order Tests', 'ASI', and 'GAF'. A status bar at the very bottom reads 'Dale S Cannon may order any test.'

Staff Entry

Staff entry of test data permits the staff person to see the text of the test questions and answers as the data are entered. This might be the optimal method for entering staff rating data (e.g., AIMS or BPRS).

NOTE: Because this data entry method does not secure the PC desktop, it should never be used for patient data entry.

Example: From the **Mental Health Assistant Order Tests** window, click on the **Staff Entry** command button located on the taskbar.


The screenshot shows the 'Mental Health Assistant in use by: Feldman,Robert D (660VISTA)' window. The 'Staff Entry' button is highlighted with a black arrow. The window contains several sections: 'Tests Ordered By' (Cannon,Dale S), 'Test Batteries' (SHARI, NEUR2, IHCB), 'Incomplete Tests' (table with 3 rows), 'Available Tests (* = incomplete test)' (list of 30 tests), 'Tests Chosen' (MISS, STAI), and a status bar at the bottom with 'Dale S Cannon may order any test.'

Date	Test	Items Answered
MAY 16, 2002	AUDIT	2
FEB 13, 2002	AUDC	3

Available Tests (* = incomplete test)
AIMS
AOR
ATQ
AUDC
AUDCR
AUDIT
AUDIT*
AUIR
BAI
BDI
BHS
BHS
BPRS
BSI
BUSS
CAGE
CRS
DOM80
DOM81
DOM82
DOMG
ERS
HLOC
ICL
IEQ
JENK
MATE
MCM12
MHLA
MHLB
MHLC
MILL
MMP2S
MMPI2
NEOPI
PAI
PCLC
PCLM
RLOC
SAI
SCL9R
SDES
SF36
SMAS
SW'S
SW'S
VALD
WAS
ZUNG


Staff Entry (continues)

Example: From the **Mental Health Order Tests** window, click on the **Staff Entry** command button, located below the menu bar. If an invalid user click on the **Staff Entry command button** the **Mental Health Assistant** Informational dialog box appears alerting the user that, “This option is for staff use only. Using it with patients is likely to result in a serious breach of confidentiality. Are you sure you want to use the staff entry mode?” Click on the **No command button** located on right side of the **Mental Health Assistant** Informational dialog box to terminate this selection.



Staff Entry (continues)

Example: From the **Mental Health Order Tests** window, click on the **Staff Entry** command button, located below the menu bar. The **Mental Health Assistant** Informational dialog box appears alerting the user that, “This option is for staff use only. Using it with patients is likely to result in a serious breach of confidentiality. Are you sure you want to use the staff entry mode?” Click on the **Yes** command button to continue. The **Staff Entry CAGE** window is displayed.



Staff Entry Window

Example: This is an example of the **Staff Entry window** when a test is started. The name of the test is located on the **Staff Entry** window title bar (i.e., CAGE). The **Staff Entry** window contains a three-part display table, which is located just below the **Staff Entry window title bar**. The **first part of the table** contains the **test instructions** and the **text first question**. The **second part of the table**, located below the **test instructions** and the **text first question** table contains the **response items**. The **third part of the table** located below the response item table, lists the answers given to previous questions. This table is blank when a test begins because no previous questions have been answered.

--- CAGE ---

Please read each item carefully and select the answer that best describes you.

1. Have you ever felt you should cut down on your drinking?

Y= Yes
N= No
X. Skip this question

No.	Ans.	Question

Back Up New Question Close

©public domain No. of skipped items: 0 Number of Items: 4 Number Remaining: 3

Staff Entry Window (continues)

Example: From the **Staff Entry** window status bar, located at the bottom of the window contains the copyright **Public Domain** (i.e., test holder if any), **No. of skipped items**, **Number of Items**, and the **Number Remaining**.

--- CAGE ---

Please read each item carefully and select the answer that best describes you.

1. Have you ever felt you should cut down on your drinking?

Y= Yes
N= No
X. Skip this question

No.	Ans.	Question

Back Up New Question Close

©public domain No. of skipped items: 0 Number of Items: 4 Number Remaining: 3

Answering a Question from Staff Entry window

To **answer a question** located on the **Staff Entry window** (i.e. CAGE), you may either **click** on the desired response in the list of response item, type in the first letter, or response item number of the desired response. The selected response is displayed in the list of previous answers and the next question is presented.

Example: On the third table, the user entered a **Y** in the Ans. text dialog box or clicked Y= **Yes** in the second table of the CAGE second question. That answer is shown in the table of previous answers, and **question 2** is presented.

--- CAGE ---

Please read each item carefully and select the answer that best describes you.

2. Have people annoyed you by criticizing your drinking?

☒ Y= Yes
☐ N= No
☐ X. Skip this question

No.	Ans.	Question
1	Y	Have you ever felt you should cut down on your drinking?


Back Up New Question Close

©public domain No. of skipped items: 0 Number of Items: 4 Number Remaining: 2

Back Up

The **Back Up** tab located on the **Staff Entry window** (i.e. CAGE), enable the user to return to a previously answered question so the answer can be changed. By **Clicking** on the **Back Up** tab previous test questions and answers are displayed. The answer entered for the previous test question is highlighted. **Note:** The **Backup** tab is **not** enabled if you are on the first question of a test.

Example: The user is on question 3 of the **Staff Entry** window (i.e., CAGE). **Clicking** on the **Back Up** tab located on the bottom of the window will take the user back to question 2. **Note:** Before clicking on the **Back Up** tab, the table of previous answers indicates that the patient's answer to question 2 was **No**. When question 2 is presented again, **No** is highlighted in the set of possible answers.



--- CAGE ---

Please read each item carefully and select the answer that best describes you.

3. Have you ever felt bad or guilty about your drinking?

Y= Yes
N= No
X. Skip this question

No.	Ans.	Question
1	Y	Have you ever felt you should cut down on your drinking?
2	N	Have people annoyed you by criticizing your drinking?

©public domain No. of skipped items: 0 Number of Items: 4 Number Remaining: 1

Back Up New Question Close

Back Up (continues)

Example: From the **Staff Entry window** (i.e., CAGE), the user is now back on Question 2.

--- CAGE ---

Please read each item carefully and select the answer that best describes you.

2. Have people annoyed you by criticizing your drinking?

Y= Yes
N= No
 X. Skip this question

No.	Ans.	Question
2	N	Have people annoyed you by criticizing your drinking?

Back Up New Question Close


©public domain No. of skipped items: 0 Number of Items: 4 Number Remaining: 2

Using the Vertical Scrolls Bar to Back Up

The **Back Up button** returns the user to the previous question, which is fine if you want to back up to just one question. However, it is an inefficient way of jumping from, say, question 300 to question 180. A quicker way of returning to a much earlier question in the test is to use the **vertical scrolls bar** to scroll back in the table of previous answers to the question to which you want to return and then click on that row of the table.

Scroll to a previous answer and **click** on that row of the table, the selected test question and answers are presented. The answer previously entered for the selected question is highlighted.

Example: From the **PTSD Checklist M window**, the user is on question 13 of the PCLM and decides to change the answer to question 4. To do so, use the **vertical scrolls bar**, located on the lower right side of the window located on the third table to go back to the table of previous answers to question 4 and **click** on that row. Question 4 is then presented, and the previous answer is highlighted.



Below is a list of problems and complaints that people sometimes have in response to stressful military experiences. Please read each one carefully and indicate how much you have been bothered by that problem IN THE PAST MONTH.

13. Trouble FALLING or STAYING ASLEEP?

1. Not at all
2. A little bit
3. Moderately
4. Quite a bit
5. Extremely
X. Skip this question

No.	Ans.	Question
4	5	Feeling VERY UPSET when SOMETHING reminded you of a stressful military experience from the past?
5	1	Having PHYSICAL reactions (e.g. heart pounding, trouble breathing, sweating) when SOMETHING REMINDED you
6	3	Avoiding THINKING ABOUT or TALKING ABOUT a stressful military experience from the past or AVOIDING HAVIN
7	4	Avoiding ACTIVITIES or SITUATIONS because they REMINDED you of a stressful military experience from the pas
8	1	Trouble REMEMBERING IMPORTANT PARTS of a stressful military experience from the past?
9	2	LOSS OF INTEREST in activities that you used to enjoy?
10	3	Feeling DISTANT OR CUT OFF from other people?
11	1	Feeling EMOTIONALLY NUMB or being unable to have loving feelings for those close to you?
12	4	Feeling as if your FUTURE somehow will be CUT SHORT?

Back Up New Question Close

©National Center for PTSD No. of skipped items: 0 Number of Items: 17 Number Remaining: 4

Using the Vertical Scrolls Bar to Back Up (continues)

Example: The user is now returned to Question 4, located on the **PTSD Checklist M window**. Below the Question 4 table, **5 Extremely** is selected and highlighted in that row of the second table.

Below is a list of problems and complaints that people sometimes have in response to stressful military experiences. Please read each one carefully and indicate how much you have been bothered by that problem IN THE PAST MONTH.

4. Feeling VERY UPSET when SOMETHING reminded you of a stressful military experience from the past?

1. Not at all
2. A little bit
3. Moderately
4. Quite a bit
5. Extremely
X. Skip this question

No.	Ans.	Question
4	5	Feeling VERY UPSET when SOMETHING reminded you of a stressful military experience from the past?
5	1	Having PHYSICAL reactions (e.g. heart pounding, trouble breathing, sweating) when SOMETHING REMINDED you
6	3	Avoiding THINKING ABOUT or TALKING ABOUT a stressful military experience from the past or AVOIDING HAVIN
7	4	Avoiding ACTIVITIES or SITUATIONS because they REMINDED you of a stressful military experience from the pas
8	1	Trouble REMEMBERING IMPORTANT PARTS of a stressful military experience from the past?
9	2	LOSS OF INTEREST in activities that you used to enjoy?
10	3	Feeling DISTANT OR CUT OFF from other people?
11	1	Feeling EMOTIONALLY NUMB or being unable to have loving feelings for those close to you?
12	4	Feeling as if your FUTURE somehow will be CUT SHORT?

Back Up New Question Close

©National Center for PTSD No. of skipped items: 0 Number of Items: 17 Number Remaining: 13

New Question

From the **PTSD Checklist M window**, the **New Question button**, which is enabled only if the user is not on the first remaining unanswered question in the test, jumps to the next unanswered question.

Back up to a previous question will enable the **New Question button**. Click on the **New Question button** and the next unanswered question is presented and the **New Question button** is disabled.

Example: The user had entered answers for the first 12 questions of the PCLM before returning to question 4 to change that answer (see previous example). The **Staff Entry window** advanced to question 5, but the user wanted to go back to question 13, which is the next unanswered question. **Clicking** on the **New Question button** accomplished this.

Below is a list of problems and complaints that people sometimes have in response to stressful military experiences. Please read each one carefully and indicate how much you have been bothered by that problem IN THE PAST MONTH.

5. Having PHYSICAL reactions (e.g. heart pounding, trouble breathing, sweating) when SOMETHING REMINDED you of a stressful military experience from the past?

1. Not at all
 2. A little bit
 3. Moderately
 4. Quite a bit
 5. Extremely
 X. Skip this question

No.	Ans.	Question
5	1	Having PHYSICAL reactions (e.g. heart pounding, trouble breathing, sweating) when SOMETHING REMINDED you
6	3	Avoiding THINKING ABOUT or TALKING ABOUT a stressful military experience from the past or AVOIDING HAVIN
7	4	Avoiding ACTIVITIES or SITUATIONS because they REMINDED you of a stressful military experience from the pas
8	1	Trouble REMEMBERING IMPORTANT PARTS of a stressful military experience from the past?
9	2	LOSS OF INTEREST in activities that you used to enjoy?
10	3	Feeling DISTANT OR CUT OFF from other people?
11	1	Feeling EMOTIONALLY NUMB or being unable to have loving feelings for those close to you?
12	4	Feeling as if your FUTURE somehow will be CUT SHORT?

Back Up New Question Close

©National Center for PTSD No. of skipped items: 0 Number of Items: 17 Number Remaining: 12

New Question (continues)

Example: From the **PTSD Checklist M window**, using the **New Question button**, question 13 is now displayed in the table.

--- PTSD Checklist M ---

Below is a list of problems and complaints that people sometimes have in response to stressful military experiences. Please read each one carefully and indicate how much you have been bothered by that problem IN THE PAST MONTH.

13. Trouble FALLING or STAYING ASLEEP?

1. Not at all
2. A little bit
3. Moderately
4. Quite a bit
5. Extremely
X. Skip this question

No.	Ans.	Question
10	3	Feeling DISTANT OR CUT OFF from other people?
11	1	Feeling EMOTIONALLY NUMB or being unable to have loving feelings for those close to you?
12	4	Feeling as if your FUTURE somehow will be CUT SHORT?

Back Up New Question Close

©National Center for PTSD No. of skipped items: 0 Number of Items: 17 Number Remaining: 4

Close/Continue

The **PTSD Checklist M window** contains the **Close command button**, located on the bottom right side of the window. The **Close command button** will display **Continue** if the current test is **not** the last test in the set of tests ordered, and is showing **Close**, if it is the last test. In either case, **clicking** on the **Close button** triggers the following sequence of events:

MHA checks to see if the current test is completed.

If the test is completed, the answers are saved to **VISTA** without asking the user.

If the test is not completed, the user is asked if she/he wants to complete it.

a) If the user says **YES**, the sequence is terminated and the user is returned to the Staff Entry window.

b) If the user says **NO**, he/she is asked if she/he wants to save the incomplete results. If the user says yes, incomplete results are saved. Otherwise, they are not.

4. If the current test is not the last test in the set of tests ordered (i.e., the button caption says **Continue**), the next test in the set is started.

5. If the current test is the last test in the set of tests ordered (i.e., the button caption displays **Close**), the staff entry form closes and the Test Results tab of the main form is shown.

Click on the **Close/Continue** command button under various conditions (e.g., one test ordered, multiple tests ordered, current test complete or not complete). Steps 1-5, as described above, are followed depending on the specific conditions in effect.

Close/Continue

Example: The following example is displaying question 14 of the 17 questions in the PCLM. The PCLM is the only test selected (or is the last test in the list), so the **Close** command button displays **Close**. Clicking on the **Close** command button displays the following two **Mental Health Assistant** Information dialog boxes.

--- PTSD Checklist M ---

Below is a list of problems and complaints that people sometimes have in response to stressful military experiences. Please read each one carefully and indicate how much you have been bothered by that problem IN THE PAST MONTH.

14. Feeling IRRITABLE or having ANGRY OUTBURSTS?

1. Not at all
2. A little bit
3. Moderately
4. Quite a bit
5. Extremely
X. Skip this question


No.	Ans.	Question
11	1	Feeling EMOTIONALLY NUMB or being unable to have loving feelings for those close to you?
12	4	Feeling as if your FUTURE somehow will be CUT SHORT?
13	5	Trouble FALLING or STAYING ASLEEP?

Back Up New Question Close

©National Center for PTSD No. of skipped items: 0 Number of Items: 17 Number Remaining: 3


Mental Health Assistant Information Dialog Box YES command

Example: The **Mental Health Assistant Information dialog box** text is stating, “This PCLM is not completed yet. Do you want to finish it now?” If the **YES** command button is selected, the Staff Entry window is displayed.



Mental Health Assistant Information Dialog Box NO command

If the **NO command button** is selected, the **Mental Health Assistant Information dialog box** text is stating, “PCLM answers have not been saved to **VISTA**. Do you want to save those answers now?” If the **YES command button** is selected, the answer is saved. **Note:** Whether you say yes or no to the question about saving answers, the Staff Entry window will close because you said you did not want to finish the PCLM and there is no other test to administer.



Clerk Entry

NOTE: Clerk Entry is the optimal way of transcribing test results from an answer sheet when the user does not need to see the text of the test questions and answers as the data are entered. Because this data entry method does not secure the PC desktop, it should never be used for patient data entry.

Example: From the **Mental Health Assistant Order Tests tab** window, **click** on the **Clerk Entry** command button, located on the taskbar to activate the **Clerk Entry** function. Once this function is activated the **Mental Health Assistant Information** dialog box will appear alerting the user this function is for staff use ONLY.

The screenshot shows the 'Mental Health Assistant' window with the title bar 'Mental Health Assistant in use by: Feldman,Robert D (660VISTA)'. The menu bar includes 'File', 'Actions', 'Tools', and 'Help'. The taskbar at the top has buttons for 'Pt. Info: 000-00-9770 Jan 12,1951 (51)', 'Staff Entry', 'Clerk Entry' (which is currently selected), 'Patient Entry', and a 'GAF Not Due' indicator.

The main interface is divided into several sections:

- Tests Ordered By:** A dropdown menu showing 'Cannon,Dale S'.
- Test Batteries:** A list containing 'SHARI', 'NEUR2' (highlighted), and 'IHCB'. A right-pointing arrow button is next to the list.
- Incomplete Tests:** A table with columns 'Date', 'Test', and 'Items Answered'.


Date	Test	Items Answered
MAY 16, 2002	AUDIT	2
FEB 13, 2002	AUDC	3
- Available Tests (* = incomplete test):** A list of test codes including AIMS, AOR, ATQ, AUDC, AUDCR, AUDIT, AUDIT*, AUJR, BAI, BDI, BHS, BHS, BPRS, BSI, BUSS, CAGE, CRS, DOM80, DOM81, DOM82, DOMG, ERS, HLDC, ICL, IEQ, JENK, MATE, MCM12, MHLA, and MHLB.
- Tests Chosen:** A list containing 'MISS' and 'STAI'. Navigation buttons (>, <, <<) are located between the 'Available Tests' and 'Tests Chosen' lists.

At the bottom, there are buttons for 'Test Results', 'Order Tests', 'ASI', and 'GAF'. A status bar at the very bottom displays the text 'Dale S Cannon may order any test.'

Mental Health Assistant Information dialog box

Example: The **Mental Health Assistant** Informational dialog box appears alerting the user that, “This option is for staff use only. Using it with patients is likely to result in a serious breach of confidentiality. Are you sure you want to use the clerk entry mode?” **Click** on the **YES** command button to access the **PTSD Checklist M** window for the first selected test.

Note: Clicking on the **NO** command button returns the user back to the **Mental Health Assistant Order Tests tab** window.



PTSD Checklist M window

Example: The **PTSD Checklist M window status bar**, located on the bottom of the window displays the test current item number, valid choices for that item, and total number of items in the test. The number of cells in the data entry table equals to the number of items in the test, up to 10 cells per row. The data entry table column heading (Item No.) specifies the question number within the group of questions for a given row.

The screenshot shows the 'PTSD Checklist M' window. At the top, there is a table with columns labeled 'Item No.' and numbers 1 through 10. Below this, there are two rows of data entry cells. The first row is labeled '1-10' and the second row is labeled '11-17'. The main area of the window is a large, empty gray rectangle. At the bottom, there is a status bar with the following information: 'Date Test Administered: 01/07/2002', 'Item Number: 1', 'Valid Choices: 1 2 3 4 5 X', and 'Number of Items: 17'. An arrow points from the 'Valid Choices' field to the 'Return' button.

Item No.	1	2	3	4	5	6	7	8	9	10
1-10										
11-17										

Date Test Administered: 01/07/2002

Item Number: 1 Valid Choices: 1 2 3 4 5 X Number of Items: 17

Return

Entering Data

Example: To speed up the data entry process, use the keyboard to enter a valid choice. That choice is inserted into the corresponding cell of the table and the next cell is highlighted, and a **1** is typed the text box. Compare the following window display with the previous example. **Note:** A **1** was inserted in cell **1** and cell **2** is highlighted.

Item No.	1	2	3	4	5	6	7	8	9	0
1-10	1									
11-17										

Date Test Administered: 01/07/2002

Item Number: 2 Valid Choices: 1 2 3 4 5 X Number of items: 17

Changing a Previous Answer

NOTE: You cannot skip a question by clicking on a cell that follows the first unanswered question. In the following example you cannot skip question 16 by clicking on cell 17. You **must** answer question 16 first. If you want to skip question 16, highlight that cell and type “X” into the cell text box.

Example: From the **PTSD Checklist M window**, **click** on the cell of a previous question and type in a valid entry. That entry is inserted into the corresponding cell text box and the next cell text box is highlighted. The user entered 15 answers for the PCLM and then clicked on cell 12 to change the answer to question 12. Cell 12 is highlighted to indicate it is the active cell. The status bar, located on the bottom of the window is updated to reflect the item number and valid entries for the highlighted cell text box.

The screenshot shows the "PTSD Checklist M" window. At the top is a title bar with the text "--- PTSD Checklist M ---". Below it is a grid with 11 columns labeled 1 through 0. The first two rows are labeled "Item No." and "1-10". The third row is labeled "11-17". The grid contains numerical values. An arrow points to the cell in the third row, column 2, which contains the value "1". Below the grid is a large, empty text area. At the bottom of the window is a status bar with the following fields: "Date Test Administered:" with a dropdown menu showing "01/07/2002", "Jump" and "Return" buttons, "Item Number: 12", "Valid Choices: 1 2 3 4 5 X", and "Number of items: 17".

Item No.	1	2	3	4	5	6	7	8	9	0
1-10	1	1	2	1	1	2	4	1	2	2
11-17	1	1	2	2	1					

Date Test Administered: 01/07/2002

Jump Return

Item Number: 12 Valid Choices: 1 2 3 4 5 X Number of items: 17

Date Test Administered

Example: The calendar is, by default, set to today's date. Because the user may be transcribing the results of a test the patient took on an earlier date, the calendar can be changed to select a previous date. However, a future date cannot be selected. **Click** on the **Date Test Administered** drop-down arrow, located to the right of the date, and a pop-up calendar appears. **Click** first on a future date and then an earlier date. Clicking on a future date does nothing. Clicking on an earlier date changes test administration date. The calendar is displaying a test administered on January 3, 2002, and transcribed on January 7, 2002.

The screenshot displays the "PTSD Checklist M" software window. At the top is a table with item numbers and scores:

Item No.	1	2	3	4	5	6	7	8	9	0
1-10	1	1	2	1	1	2	4	1	2	2
11-17	1	1	2	2	1					

Below the table is a large empty area. A calendar pop-up for January 2002 is shown, with the date 01/07/2002 highlighted in red. The date 01/03/2002 is also highlighted in red. The calendar is titled "January 2002" and shows the days of the week (Sun, Mon, Tue, Wed, Thu, Fri, Sat). The date 01/07/2002 is circled in red, and the date 01/03/2002 is also circled in red. The calendar is positioned over the main window, and a line points from the "Date Test Administered" field to the calendar.

At the bottom of the window, there is a "Date Test Administered:" field with the value "01/03/2002". To the right of this field are "Jump" and "Return" buttons. Below the date field, there is a status bar with the following information:

- Item Number: 12
- Valid Choices: 1 2 3 4 5 X
- Number of items: 17

Jump

NOTE: If you have gone back to change an answer to previously answered question, the **Jump command button** is enabled.

Example: From the **PTSD Checklist M** window, **click** on a previous answer to enable the **Jump** command button. **Click** on the **Jump** command button and the first empty cell is highlighted. If 15 questions have been answered but question 12 is highlighted, the **Jump command button** is enabled (see [Changing a Previous Answer](#)). Clicking on the **Jump command button** highlights cell 16, which is the first unanswered question.

The screenshot shows the 'PTSD Checklist M' window. It contains a table with 11 columns (Item No., 1-10, 11-17) and 3 rows. The first row (1-10) has values: 1, 1, 2, 1, 1, 2, 4, 1, 2, 2. The second row (11-17) has values: 1, 1, 2, 2, 1, and empty cells for the last three columns. An arrow points to the '1' in the second row, second column. At the bottom, there is a 'Date Test Administered' field with '01/07/2002', a 'Jump' button, and a 'Return' button. Below these are three status fields: 'Item Number: 12', 'Valid Choices: 1 2 3 4 5 X', and 'Number of items: 17'.

Item No.	1	2	3	4	5	6	7	8	9	0
1-10	1	1	2	1	1	2	4	1	2	2
11-17	1	1	2	2	1					

Date Test Administered: 01/07/2002

Jump Return

Item Number: 12 Valid Choices: 1 2 3 4 5 X Number of items: 17

Return

The behavior of the **Return command button** is the same as that of the **Continue/Close button** on the staff entry form.

The screenshot shows a window titled "PTSD Checklist M". It contains a table with 11 columns (Item No., 1, 2, 3, 4, 5, 6, 7, 8, 9, 10) and 3 rows (1-10, 11-17, and a blank row). The scores for item 1 are 1, 1, and 1. The scores for item 2 are 1, 1, and 1. The scores for item 3 are 2, 2, and 2. The scores for item 4 are 1, 2, and 2. The scores for item 5 are 1, 1, and 1. The scores for item 6 are 2, 2, and 2. The scores for item 7 are 4, 2, and 2. The scores for item 8 are 1, 2, and 2. The scores for item 9 are 2, 2, and 2. The scores for item 10 are 2, 2, and 2. The cell for item 6 in the 11-17 row is highlighted in blue. Below the table is a large gray area. At the bottom, there is a "Date Test Administered:" field with a dropdown menu showing "01/07/2002". To the right of this field are "Jump" and "Return" buttons. An arrow points to the "Return" button. At the very bottom, there is a status bar with "Item Number: 16", "Valid Choices: 1 2 3 4 5 X", and "Number of items: 17".

Item No.	1	2	3	4	5	6	7	8	9	10
1-10	1	1	2	1	1	2	4	1	2	2
11-17	1	1	2	2	1					

Date Test Administered: 01/07/2002

Jump Return

Item Number: 16 Valid Choices: 1 2 3 4 5 X Number of items: 17

Patient Entry

Patient Entry supports the on-line testing of patients, which is by far the most common method of computerized testing in VHA. **Patient Entry** is a simplified version of the [Staff Entry](#) (the table of previous answers is not shown) with added security features to prevent unattended patients from using the PC for unauthorized purposes.

Example: From the **Mental Health Assistant Order Tests** tab window, **click** on **Patient Entry** command button, located on the taskbar to activate the **Patient Entry** function. After clicking on the **Patient Entry** the secured desktop functionality is activated and **Mental Health Assistant Warning** dialog box is displayed.

Mental Health Assistant in use by: Feldman, Robert D (660VISTA)

File Actions Tools Help

Pt. Info: 000-00-9770 Jan 12, 1951 (51)

Staff Entry Clerk Entry **Patient Entry** GAF Not Due

Tests Ordered By: Cannon, Dale S

Test Batteries: SHARI, NEUR2, IHCB

Incomplete Tests:

Date	Test	Items Answered
MAY 16, 2002	AUDIT	2
FEB 13, 2002	AUDC	3

Available Tests (* = incomplete test):

- AIMS, AOR, ATQ, AUDC, AUDCR, AUDIT, AUDIT*, AUIR, BAI, BDI, BHS, BHS, BPRS, BSI, BUSS, CAGE, CRS, DOM80, DOM81, DOM82, DOMG, ERS, HLOC, ICL, IEQ, JENK, MATE, MCM12, MHLA, MHLB
- MHLC, MILL, MMP2S, MMPI2, NEOPI, PAI, PCLC, PCLM, RLOC, SAI, SCL9R, SDES, SF36, SMAST, SWS, VALD, WAS, ZUNG


Tests Chosen: MISS, STAI

Test Results Order Tests ASI GAF

Dale S Cannon may order any test.


First Warning dialog box

Example: The first **Warning dialog box** is displayed each time the Patient Entry is selected stating, “Are you prepared to continue now?” **Clicking the YES command button** continues on to the second the Mental Health Assistant Warning dialog box. **Note:** Clicking on the **Cancel command button** will exits the application and return back to the PC desktop.



Second Warning dialog box

Example: The second **Warning dialog box** text is stating, “Use only Alpha-numeric keys on the keyboard from this point on.” **Click the OK command button** to continue to the three-part display test entry table.



Addiction Severity Index (ASI)

ASI Window

This window lists all previous ASI interviews and makes it easy to view either the item report or narrative report for a selected interview. To help with ASI performance measure compliance, the interval since the last interview is displayed in the status bar.

Example: From the **Mental Health Assistant** main window, **click** on the **ASI** tab, (located at the bottom of the window) to view the ASI Window.

Mental Health Assistant in use by: Schultz,Roger F (660Vista)

File Actions Tools Help

Pt. Info: ZZZZ
528-38-3610 Mar 02,1926 (78)

New ASI Domain Scores Item Trends GAF Not Due

Date	Type	Interviewer	G-12 Special	Signed
04/10/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
03/12/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes

Edit ASI

Report Option:
☐ 1 Narrative Report
☒ 2 Item Report

ZZZ,Z 528-38-3610 ASI FULL on 04/10/2002 by: SCHULTZ,ROGER F

***** GENERAL INFORMATION *****

Name: ZZZ,Z
 SS No.: 528383610
 Admission Date: APR 11, 2002
 Interview: APR 10, 2002
 Time Begun:
 Time Ended:
 Contact Code: IN PERSON
 Class: FULL
 Gender: MALE
 Transcriber: SCHULTZ,ROGER F
 Interviewer: SCHULTZ,ROGER F
 Special: INTERVIEW COMPLETED

G14. How long have you lived at this address? (Years-Months) 2-2

G15. Is this address used by you or your family? QUESTION NOT ANSWERED

Test Results Order Tests ASI GAF

Last ASI was 36 days ago

Selecting a Previous Interview

Example: To select a pervious interview, **click** on the desired **previous interview** shown within the list box (located just below the taskbar).

The screenshot shows the 'Mental Health Assistant' window for user 'Schultz,Roger F'. The interface includes a menu bar (File, Actions, Tools, Help), a patient info section (Pt. Info: ZZZZ, 528-38-3610, Mar 02, 1926), and a toolbar with buttons for 'New ASI', 'Domain Scores', 'Item Trends', and 'GAF Not Due'. Below this is a table of interview history:

Date	Type	Interviewer	G-12 Special	Signed
04/10/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
03/12/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes

An arrow points to the selected row (04/03/2002). To the right of the table are buttons for 'Edit ASI' and 'Report Option' (radio buttons for '1 Narrative Report' and '2 Item Report').

The main display area shows the details of the selected interview:

ZZZ,Z 528-38-3610 ASI FULL on 04/03/2002 by: SCHULTZ,ROGER F
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Mr. Zzz is a 76 year old ,fl question not answered male NSC veteran. He lists his religious preference as . He was admitted to the Consultation/Liaison program on Apr 03, 2002. In the past 30 days, he has . G19 QUESTION NOT ANSWERED

This report is based on a full ASI interview conducted in person on Apr 03, 2002 by Roger F Schultz. Mr. Zzz completed the interview.

	Severity Rating	Composite Score
MEDICAL	X	----
EMPLOYMENT	X	----
ALCOHOL	X	----
DRUG	X	----
LEGAL	X	----
FAMILY	X	----
PSYCHIATRIC	X	----

MEDICAL STATUS

At the bottom, there are tabs for 'Test Results', 'Order Tests', 'ASI', and 'GAF'. The 'ASI' tab is active. A status bar at the bottom right indicates 'Last ASI was 36 days ago'.

Selecting Report Option

Example: From the **ASI** window, the **Report Option**, is located on the right side of the list box, displays the **Narrative Report** or **Item Report** options. **Click** on **Narrative Report** or **Item Report** to make a selection.

Mental Health Assistant in use by: Schultz,Roger F. [660Vista]

File Actions Tools Help

Pt. Info: ZZZ,Z
528-38-3610 Mar 02,1926 (78)

New ASI Domain Scores Item Trends GAF Not Due

Date	Type	Interviewer	G-12 Special	Signed
04/10/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
03/12/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes

Edit ASI

Report Option:

☐ 1 Narrative Report

☒ 2 Item Report

ZZZ,Z 528-38-3610 ASI FULL on 04/10/2002 by: SCHULTZ,ROGER F

***** GENERAL INFORMATION *****

Name: ZZZ,Z

SS No.: 528383610

Admission Date: APR 11, 2002

Interview: APR 10, 2002

Time Begun:

Time Ended:

Contact Code: IN PERSON

Class: FULL

Gender: MALE

Transcriber: SCHULTZ,ROGER F

Interviewer: SCHULTZ,ROGER F

Special: INTERVIEW COMPLETED

G14. How long have you lived at this address? (Years-Months) 2-2

G15. Is this address used by you or your family? QUESTION NOT ANSWERED

Test Results Order Tests ASI GAF

Last ASI was 36 days ago

ASI Data Entry

The **New ASI** button, when clicked, provides user-friendly interface for entering interview data. This new function enables staff to quickly enter data, to easily jump from one item to another, and to enter free-text comments at any time. The **ASI Data Entry** should greatly reduce data entry time, whether transcribing interview results from a paper form or entering them on-line during an interview. **Note:** The ASI Data Entry is **not** a self-administered version of ASI, and should **not** be used for patient entry of ASI responses.

Example: From the **ASI** window, **click** on the **New ASI** command button, located on the task bar to activate the **ASI Data Entry form**.

Mental Health Assistant in use by: Schultz,Roger F (660Vista)

File Actions Tools Help

Pt. Info: ZZZ,Z
528-38-3610 Mar 02,1926 (78)

New ASI Domain Scores Item Trends GAF Not Due

Date	Type	Interviewer	G-12 Special	Signed
04/10/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
03/12/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes

Edit ASI

Report Option:
☐ 1 Narrative Report
☒ 2 Item Report

ZZZ,Z 528-38-3610 ASI FULL on 04/10/2002 by: SCHULTZ,ROGER F

***** GENERAL INFORMATION *****

Name: ZZZ,Z

SS No.: 528383610

Admission Date: APR 11, 2002
 Interview: APR 10, 2002
 Time Begun:
 Time Ended:
 Contact Code: IN PERSON
 Class: FULL
 Gender: MALE

Transcriber: SCHULTZ,ROGER F

Interviewer: SCHULTZ,ROGER F
 Special: INTERVIEW COMPLETED

G14. How long have you lived at this address? (Years-Months) 2-2

G15. Is this address considered your permanent residence? (Yes/No) QUESTION NOT ANSWERED

Test Results Order Tests ASI GAF

Last ASI was 36 days ago

Example: When the **New ASI** button is clicked, the ASI data entry form is presented. The **General Information** section is shown with its first item highlighted. The first item, **G3**, is automatically set to the user's last selection. In addition, the items **G4. Date of Admission** and **G5. Date of Interview**, contains today's date as defaults; item **G9. Contact Type** is set to **1. In person** and **G11. Interviewer** is set to the staff member who logon to MHA; item **G12. Special** is set to **N. Interview completed**. The status bar at the bottom of the window provides context sensitive hints for the active test item.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type: **EARLY INTERVENTION/EDUCATION/REFERRAL**

G4. Date of Admission: 5/16/2002 G5. Date of Interview: 5/16/2002

G8. Interview Form (ASI Type): ☒ 1. Full Intake ☐ 2. Lite Intake ☐ 3. Follow-up G9. Contact Type: ☒ 1. In person ☐ 2. Phone

G11. Interviewer: Schultz, Roger F

G12. Special: ☐ 1. Patient terminated ☐ 3. Patient unable to respond
☐ 2. Patient refused ☒ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race
☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican
☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban
☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference
☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other
☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?
☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychiatric Spiritual Leisure

Click on down arrow for list of programs. F1 for help.

ASI utilizes several types of window components, such as, the drop-down list box, check boxes, radio buttons, etc. The use of these components is explained below.

Drop-Down List Box

Example: In the **General Information** section, **click** on the **down arrow** of Item **G3. Program Type**. The **drop-down list box** contains 21 ASI program types, which are displayed eight at a time.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type: **EARLY INTERVENTION/EDUCATION/REFERRAL**

G4. Date of Admission: **CONSULTATION/LIAISON**

G8. Interview Form (A) **EARLY INTERVENTION/EDUCATION/REFERRAL**

☒ 1. Full Intake **DETOXIFICATION SERVICES**

AMBULATORY EXCEPT OPIOID SUBSTITUTION

OPIOID SUBSTITUTION

G11. Interviewer: **INPATIENT ACUTE CARE**

G12. Special: **SUBSTANCE ABUSE RESIDENTIAL REHABILITATION TREATMENT PROGRA**

COMPENSATED WORK THERAPY/TRANSITIONAL RESIDENCE

☐ 1. Patient terminated ☐ 3. Patient unable to respond

☐ 2. Patient refused ☒ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race

☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican

☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban

☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference

☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other

☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?

☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered

General Comments:

G General Info **M** Medical **E** Employment **D** Drug/Alcohol **L** Legal **H** Family Hx **F** Social **P** Psychiatric **S**piritual **L**eisure

Click on down arrow for list of programs. F1 for help.


Drop-Down List Box Navigation and Selection:

There are several ways to select the desired program type in item **G3. Program Type** and we will use this as an example for all drop-down list boxes in the ASI.

- 1) Use the keyboard **up** and **down arrow** keys to navigate through the list of program types in item **G3. Program Type**. The highlighted item will move as you press the arrows. To select the desired program, press the **Enter** key.
- 2) Type in the **first few letters** of the desired program in the text entry box. The full name of the program will appear, if this is the desired program, press the **Enter** key and you will move to the next ASI item.
- 3) Using the mouse, click on the **vertical scroll bar**, located on the right side of the **drop-down list box**, to slide up or down to view the list of programs. Click on the desired program and it will appear in the text entry box and the drop-down list will disappear.
- 4) With the mouse, click on the vertical scroll bar **up** and **down arrows** to view the list of program types. To select the **G3. Program Type** using the keyboard, press the **Tab or Enter** key. The highlighted item is selected.

Date Items - Part I

Example: Click on the **down arrow** of **Item G4. Date of Admission** and a calendar will appear. The status bar hints (located at the bottom of this window) are updated and displayed.



Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type: EARLY INTERVENTION/EDUCATION/REFERRAL

G4. Date of Admission: 5/16/2002

G5. Date of Interview: 5/16/2002

G8. Interview Form (AS) **May, 2002**

☒ 1. Full Intake

G9. Contact Type: ☒ 1. In person ☐ 2. Phone

G11. Interviewer: **1**

G12. Special: **16**

☐ 1. Patient term ☐ 2. Patient refusal

Today: 5/16/2002

*G14. How long have you been in this residence? Months:

G15. Is this residence owned by you or your family?

☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race

☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican

☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban

☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference

☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other

☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?

☐ 1. No ☐ 2. Medical Treatment ☐ X. Not Answered

General Comments:

G General Info M Medical E Employment D Drug/Alcohol L Legal H Family Hx F Social P Psychiatric Spiritual Leisure

Click on down arrow for list of programs. F1 for help.

Date Item Navigation and Selection:

To navigate the calendar using the keyboard, follow these instructions:

Press the **left** and **right arrow** keys to change days.

Shift-left and **shift-right** to change months.

Pressing the **Home** key moves to the first day of the month.

Press the **Tab** or **Enter** key to select the date and to close the calendar.

Clicking the mouse on a day will select the day and close the calendar.

Clicking on the left and right arrows will change the month.

Date Fields - Part II

Example: Type a date in the text entry box of **G4. Date of Admission**. Date entry for this item can be simple text that conforms to various date templates. The date can be typed directly in the text entry box. The following formats are accepted: 4/14/2001, 4-14-01, 4.14.01, and 4,14,2001. Notice that the year can be entered as last two digits or four digits. Acceptable delimiters are the backslash, period, comma and dash. **Note:** Future dates are not accepted.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type: EARLY INTERVENTION/EDUCATION/REFERRAL

G4. Date of Admission: 5/16/2002

G5. Date of Interview: 5/16/2002

G8. Interview Form (ASI Type):
☒ 1. Full Intake ☐ 2. Lite Intake ☐ 3. Follow-up

G9. Contact Type:
☒ 1. In person ☐ 2. Phone

G11. Interviewer: Schultz, Roger F

G12. Special:
☐ 1. Patient terminated ☐ 3. Patient unable to respond
☐ 2. Patient refused ☒ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race
☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican
☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban
☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference
☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other
☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?
☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychiatric Spiritual Leisure

Click on down arrow for list of programs. F1 for help.

Check Boxes and Check Marks

Example: Item G8. Interview For (ASI Type): click on a check box (or its text), and a check mark appears in the check box. Other check marks, if present, are removed. Using the keyboard, press the keys “1”, “2”, or “3” and the appropriate check box is checked and the next ASI item is highlighted. While mouse input is effective, experienced users find keyboard entry to be quicker and easier. If an incorrect key is pressed, an error message will appear.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type:

G4. Date of Admission: G5. Date of Interview:

G8. Interview Form (ASI Type):

☒ 1. Full Intake ☐ 2. Lite Intake ☐ 3. Follow-up

G9. Contact Type: ☒ 1. In person ☐ 2. Phone

G11. Interviewer:

G12. Special:

☐ 1. Patient terminated ☐ 3. Patient unable to respond

☐ 2. Patient refused ☒ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race

☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican

☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban

☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference

☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other

☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?

☐ 1. No ☐ 4. Medical Treatment ☐ 6. Not Answered

General Comments:

A full ASI is required for first administration. F1 for help.

Check Boxes Navigation and Selection:

To make a choice in the check box, do one of the following:

- 1) Type the number on the keyboard that corresponds to the choice. This is the fastest way to enter data in the ASI. You will notice that the choice will be checked (other boxes that might have been checked will become blank). The program will move automatically to the next ASI item (if the “Speed Tab” option is active).
- 2) Click on the choice.

Spin Edit - Part I

Example: In item **G14 How long have you lived at this address**, type the number of years—an acceptable number is from 0 to 99—and then press either the **Tab** or **Entry** key. The “Months:” will then become the active item and is highlighted. If an incorrect number is entered, an error message will appear.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type:

G4. Date of Admission: G5. Date of Interview:

G8. Interview Form (ASI Type): ☒ 1. Full Intake ☐ 2. Lite Intake ☐ 3. Follow-up G9. Contact Type: ☒ 1. In person ☐ 2. Phone

G11. Interviewer:

G12. Special:

☐ 1. Patient terminated ☐ 3. Patient unable to respond

☐ 2. Patient refused ☒ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race

☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican

☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban

☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference

☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other

☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?

☐ 1. No ☐ 2. Medical Treatment ☐ 3. Not Answered

General Comments:

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychiatric Spiritual Leisure

Enter number with keyboard, or Up & Down arrows, or mouse click on arrows. F1 for help.

Spin Edit - Part II

Example: Click on the up or down arrows of the spin-edit field of item **G14**. The number in the spin-edit box will increase or decrease by one. The spin-edit item can be increased by one when the up arrow receives a mouse click, or when the up-arrow key is pressed. To decrease the value, click on the down arrow or press the down arrow key. A number will not increase beyond the limit of the acceptable range. To move to the next item, press the **Tab** or **Enter** key.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type:

G4. Date of Admission: G5. Date of Interview:

G8. Interview Form (ASI Type): ☒ 1. Full Intake ☐ 2. Lite Intake ☐ 3. Follow-up G9. Contact Type: ☒ 1. In person ☐ 2. Phone

G11. Interviewer:

G12. Special: ☐ 1. Patient terminated ☐ 3. Patient unable to respond
☐ 2. Patient refused ☒ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family? ☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race ☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican
☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban
☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference ☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other
☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days? ☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered

General Comments:

Enter number with keyboard, or Up & Down arrows, or mouse click on arrows. F1 for help.

With the general description of the ways to enter data into the ASI data entry form—drop-down list, date fields, and so on—there are two items that may need a more complete description, Item G8 and Item G12.

Item G8 - Part I

The ASI is a questionnaire with three different versions; Full Intake, Lite Intake and Follow-up. When the user makes a selection on Item G8, the computer screen may change momentarily to provide the proper list of items for that version of the ASI. The Full Intake version of the ASI is presented initially by default.

Example: Click on the **2. Lite Intake** on Item G8. Since the user may have entered data before selecting the form to use—Full, Lite, or Follow-up—this dialog window allows the user to either use the default responses, or to maintain the responses already completed. This avoids the removal of user-entered data.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type:

G4. Date of Admission: G5. Date of Interview:

G8. Interview Form (ASI Type):
☐ 1. Full Intake ☒ 2. Lite Intake ☐ 3. Follow-up

G9. Contact Type:
☒ 1. In person ☐ 2. Phone

G11. Interviewer:

G12. Special:
☐ 1. Patient terminated ☐ 3. Patient unable to respond
☐ 2. Patient refused ☒ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G17. Race
☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican
☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban
☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference
☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other
☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?
☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered
☐ 2. Jail ☐ 5. Psychiatric Treatment ☐ N. Not Applicable
☐ 3. Alcohol or Drug Treatment ☐ 6. Other (specify)

General Comments:


A full ASI is required for first administration. F1 for help.

Item G8 - Part II

Example: The **Addiction Severity Index Information dialog box** states, “Do you wish to set the items that follow to their default response? [This may change responses you have already entered.]”

Click the **Yes** button located within the **Information dialog box** and the Lite Intake items will appear with default values set for: G3, G4, G5, G9, and G11.

Click on the **No** button located within the ASI **Information dialog box**. Lite Intake items will appear without default values set for G3, G4, G5, G9 and G11, maintaining the values entered by the user.



Item G8 - Part III

Example: The **3. Follow-up** is selected by the user on Item G8. Notice that the items have changed in comparison the initial Full ASI items.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type:

G4. Date of Admission:

G5. Date of Interview:

G8. Interview Form (ASI Type):

☐ 1. Full Intake ☐ 2. Lite Intake ☒ 3. Follow-up

G9. Contact Type:

☒ 1. In person ☐ 2. Phone

G11. Interviewer:

G12. Special:

☐ 1. Patient terminated ☐ 3. Patient unable to respond

☐ 2. Patient refused ☒ N. Interview completed

*G19. Have you been in a controlled environment in the past 30 days?

☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered

☐ 2. Jail ☐ 5. Psychiatric Treatment ☐ N. Not Applicable

☐ 3. Alcohol or Drug Treatment ☐ 6. Other (specify)

G20. How many days?


General Comments:

General Info Medical Employment Drug/Alcohol Legal Social Psychiatric Spiritual Leisure

A full ASI is required for first administration. F1 for help.

Item G8 – Part IV

Example: If the user incorrectly selects **Item G8. Interview Form (ASI Type) - 3. Follow-up** for a new patient, who has never had a Full Intake or Lite Intake, the **Addiction Severity Index Information dialog box** is displayed stating, “This is the veteran’s first ASI and it must be either a Full or Lite Intake.”



Item G12

Example: On Item G12, click on:

1. Patient Terminated or

2. Patient Refused or

3. Patient unable to respond

The following **Mental Health Assistant** Information dialog box is displayed indicating that default values will not be set for the user.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G3. Program Type:

G4. Date of Admission: G5. Date of Interview:

G8. Interview Form (ASI Type): ☒ 1. Full Intake ☐ 2. Lite Intake ☐ 3. Follow-up G9. Contact Type: ☒ 1. In person ☐ 2. Phone

G11. Interviewer:

G12. Special:

☐ 1. Patient terminated ☐ 3. Patient unable to respond

☒ 2. Patient refused ☐ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

☒ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race

☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican

☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban

☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference

☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other

☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?


☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered

General Comments:

G General Info M Medical E Employment D Drug/Alcohol L Legal H Family Hx F Social P Psychiatric Spiritual Leisure

Item G12 (continued)

Example: The **Addiction Severity Index** Information dialog box is displayed indicating, “The many default answers provided on this form will not be honored when an ASI is only partially completed. Only the items that you actually answer will be saved.”



Item G19 - Part I

Example: Click on **6. Other (Specify)** on Item G19. G20 will become active. The edit box is active only when item G19 is “**6 Other (Specify)**”. Otherwise the edit box is disabled (user cannot write to it).

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G12. Special:

☐ 1. Patient terminated ☐ 3. Patient unable to respond

☒ 2. Patient refused ☐ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race

☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican

☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban

☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference

☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other

☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?

☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered

☐ 2. Jail ☐ 5. Psychiatric Treatment ☐ N. Not Applicable

☐ 3. Alcohol or Drug Treatment ☒ 6. Other (specify)

G20. How many days?

General Comments:

G General Info M Medical E Employment D Drug/Alcohol L Legal H Family Hx F Social P Psychiatric Spiritual Leisure

Item G19 - Part II

Example: Item G19, click on:

1. No or

X. Not Answered or

N. Not Applicable.

The edit box below will, if active, will become inactive and G20 will also become inactive with a value of “N”.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

General Information

G12. Special:

☐ 1. Patient terminated ☐ 3. Patient unable to respond

☒ 2. Patient refused ☐ N. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?

☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race

☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican

☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban

☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference

☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other

☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G19. Have you been in a controlled environment in the past 30 days?

☒ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered

☐ 2. Jail ☐ 5. Psychiatric Treatment ☐ N. Not Applicable

☐ 3. Alcohol or Drug Treatment ☐ 6. Other (specify)

G20. How many days?

General Comments:

G General Info M Medical E Employment D Drug/Alcohol L Legal H Family Hx F Social P Psychiatric Spiritual Leisure

There are a number of items in the ASI that become inactive (no user response is possible) when a previous item is answered in a certain way. This is done to speed data entry and to avoid errors.

Medical Status

Example: Click on the tab labeled **Medical**, located on the left side at the bottom of the form. The data entry form will move to the Medical Status section of the ASI. By pressing the Alt-M keys, the same result will occur. This is the same procedure for moving to any of the other sections of the ASI—click on the tab or press Alt-Key (the proper key is underlined on the tab label, e.g., G for General Information, M for Medical).

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

Medical Status

*M1. How many times in your life have you been hospitalized for medical problems (Use "N" for never)?

M2. How long ago was your last hospitalization for a physical problem? Years: Months:

*M3. Do you have any chronic medical problems which continue to interfere with your life?

☐ 0. No ☐ 1. Yes (specify) ☐ X. Not Answered

*M4. Are you taking any prescribed medication on a regular basis for a physical problem?

☐ 0. No ☐ 1. Yes ☐ X. Not Answered

*M5. Do you receive a pension for a physical disability? (Exclude psychiatric disability)

☐ 0. No ☐ 1. Yes (specify) ☐ X. Not Answered

*M6. How many days have you experienced medical problems in the past 30?

*M7. How troubled or bothered have you been by these medical problems in the past 30 days?

☐ 0. Not at all ☐ 2. Moderately ☐ 4. Extremely
☐ 1. Slightly ☐ 3. Considerably ☐ X. Not Answered

*M8. How important to you now is treatment for these medical problems?

☐ 0. Not at all ☐ 2. Moderately ☐ 4. Extremely
☐ 1. Slightly ☐ 3. Considerably ☐ X. Not Answered

M9. Interviewer: How would you rate the patient's need for medical treatment?

☐ 0. No problem ☐ 3. Slight problem ☐ 6. Severe problem ☐ 9. Extreme problem

Medical Status Comments:

G General Info **M Medical** E Employment D Drug/Alcohol L Legal H Family Hx F Social P Psychiatric Spiritual Leisure

Include O.D.'s, D.T.'s. Exclude detox, alcohol/drug and psychiatric treatment and childbirth (if without complications). F1 for help.

Medical Status Comments

Example: Type comments in the **Medical Status Comments** text box, located on the bottom of the form. The **Medical Status Comments** text box accepts free text. Each section of the ASI has a comment text box.

Addiction Severity Index for Z Zzz SSN: 528-38-3610

File Options Help

Medical Status

*M1. How many times in your life have you been hospitalized for medical problems (Use "N" for never)?

M2. How long ago was your last hospitalization for a physical problem? Years: Months:

*M3. Do you have any chronic medical problems which continue to interfere with your life?

☐ 0. No ☐ 1. Yes (specify) ☐ X. Not Answered

*M4. Are you taking any prescribed medication on a regular basis for a physical problem?

☐ 0. No ☐ 1. Yes ☐ X. Not Answered

*M5. Do you receive a pension for a physical disability? (Exclude psychiatric disability)

☐ 0. No ☐ 1. Yes (specify) ☐ X. Not Answered

*M6. How many days have you experienced medical problems in the past 30?

*M7. How troubled or bothered have you been by these medical problems in the past 30 days?

☐ 0. Not at all ☐ 2. Moderately ☐ 4. Extremely
☐ 1. Slightly ☐ 3. Considerably ☐ X. Not Answered

*M8. How important to you now is treatment for these medical problems?

☐ 0. Not at all ☐ 2. Moderately ☐ 4. Extremely
☐ 1. Slightly ☐ 3. Considerably ☐ X. Not Answered

M9. Interviewer: How would you rate the patient's need for medical treatment?

☐ 0. No problem ☐ 3. Slight problem ☐ 6. Severe problem ☐ 9. Extreme problem

Medical Status Comments: This shows the use of medical comments. Free text entry is possible.

General Info Medical Employment Drug/Alcohol Legal Family Hx Social Psychiatric Spiritual Leisure

Include O.D.'s, D.T.'s. Exclude detox, alcohol/drug and psychiatric treatment and childbirth (if without complications). F1 for help.

Selecting an Unsigned ASI

Example: From the **ASI window**, **click** on the desired interview shown in the **list box** containing a **NO** response (located under the **Signed** heading in the title bar) to select an unsigned ASI interview. After the selection is made (highlighted), **double-clicking** on the highlighted selection will update the report before proceeding onto the **ASI Data Entry** form. Clicking on the **Edit ASI** button will also perform this function.

Mental Health Assistant in use by: Schultz,Roger F. [660Vista]

File Actions Tools Help

Pt. Info: ZZZZ
528-38-3610 Mar 02,1926 (78)

New ASI Domain Scores Item Trends GAF Not Due

Date	Type	Interviewer	G-12 Special	Signed
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
03/12/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	Yes
03/10/2002	Lite	Schultz,Roger F	Not Refused, Terminated or Unable to Respond	No
03/09/2002	Full	Schultz,Roger F	Patient Unable To Respond	Yes

Edit ASI

Report Option:
☒ 1 Narrative Report
☐ 2 Item Report

ZZZ,Z 528-38-3610 ASI LITE on 03/10/2002 by: SCHULTZ,ROGER F
 ##### Unsigned Draft #####
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Mr. Zzz is a 76 year old White (not Hisp), married male NSC veteran. He lists his religious preference as Protestant. He was admitted to the Consultation/Liaison program on Mar 10, 2002. In the past 30 days, he has not been in a controlled environment.

This report is based on an ASI Lite interview conducted in person on Mar 10, 2002 by Roger F Schultz. Mr. Zzz completed the interview.

	Composite Score
MEDICAL	0.0000
EMPLOYMENT	0.1080
ALCOHOL	0.4630
DRUG	0.0000
LEGAL	0.0000
FAMILY	0.1000
PSYCHIATRIC	0.0000


General Comments:

Test Results Order Tests ASI GAF

Last ASI was 36 days ago

Previously Signed ASI

Example: After selecting a signed ASI, the following **Mental Health Assistant dialog box** is displayed stating, “A signed ASI cannot be changed or edited.” **Click** on the **OK** button to return back to the ASI window.



Business Rules

Business rules check to see whether pairs of responses are logically consistent. The table below lists all of these rules and their actions.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

Item #s	Coding Error	Cross Check Message	Yes/No OK	Cursor movement
G19 and G20	G19>1, and G20=0,00, or N	In the last question (G19), you recorded that the patient has been in a controlled environment in the past 30 days, this question, (G20) how many days, should be greater than 0.	OK	Pop-up after G20 is entered. Cursor doesn't move.
G19 and M1	G19=4, and M1=0, 00, N.	You recorded in the general information section (G19), that the patient had been hospitalized for medical problems in the past 30 days. This hospitalization would usually be coded in this question. Do you want to recode M1?	Yes/No	Pop-up after M1 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M3.
G19 and M2	G19=4 and M2 years or months >0, 00, or N.	In the general information section (G19), you recorded that the patient had been hospitalized this month for medical problems. The correct coding in M2 is usually 00 00 in this case. Do you want to recode M2?	Yes/No	After M2 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M3.
M6 and M7	M6>0, and M7=0.	In the last question, you recorded that the patient experienced some medical problems in the past 30 days. If this were true, then we would expect that the patient would be at least slightly bothered by these problems. Do you want to recode M7?	Yes/No	After M7 is entered. If "Yes", the cursor doesn't move. If "No", cursor moves to M8.
M6, M7 and M8	M6=0 or 00, and M7 or M8>0.	In question M6, you recorded that the patient experienced no medical problems in the past 30 days, since they report being troubled or wanting treatment (M7 or M8), it is fair to expect that they had some problem days. Go back to M6 and identify the number of days the problem has bothered them.	OK	After M8 is entered. Cursor moves back to M6.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

E1a	E1a<4	You are reporting that the patient has had less than 4 years of education, this is rare. Please review this; did you include home schooling, grade school, etc.? Do you want to change E1?	Yes/No	Pop-up after E1b is entered. If "Yes" , the cursor moves to E1a. If "No" , cursor moves to E2.
E4 and E5	E4=0 and E5=1	If the client does not have a driver's license, E5 is always coded as "No" . This is because E5 asks about the car as a way of evaluating ability to travel to and from a job. If the client does not have a license, they cannot "get credit" for having a car! The computer has made this change for you.	OK	Pop-up after E5 is entered. This is a forced change – there is not an option to leave E5=1 if E4=0.
E8 and E9	E8=0 and E9=1	In the last question (E8), you said no one contributes to the client's support, and in this question, you are saying the client gets most of his or her support from someone. Do you want to change your answer in E8?	Yes/No	Pop-up after E9 is entered. If "Yes" , the cursor moves to E8. If "No" , cursor moves to E10.
E11 and E12	E11=0 or 00 and E12>0	In the last question (E11), you recorded that the patient was not paid for working at all in the past month. If this is the case, E12 is generally \$ 0. Do you want to change E11?	Yes/No	Pop-up after E12 is entered. If "Yes" , the cursor moves to E11. If "No" , cursor moves to E13.
	E11>0 and E12=0, 00, 000, or 0000	In the last question (E11), you recorded that the patient was paid for working this month. If this is the case, E12 is generally not \$ 0, unless the patient has collected no money for their work. Do you want to change E12?	Yes/No	Pop-up after E12 is entered. If "Yes" , the cursor doesn't move. If "No" , cursor moves to E13.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

E15 and M5	E15=0, 00, 000, 0000, or 00000 and M5=1	You recorded earlier (M5), that the patient receives a pension for a medical problem. This income is generally recorded in E15 unless they did not receive any cash this month. Do you want to change E15?	Yes/No	Pop-up after E15 is entered. If "Yes" , the cursor doesn't move. If "No" , cursor moves to E16.
E19 and E20	E19>0 and E20=0	In E19, you recorded that the patient experienced some employment problems in the past 30 days. If this were true, then we would expect that the patient would be at least slightly bothered by these problems. Do you want to recode E20?	Yes/No	Pop-up after E20 is entered. If "Yes" , the cursor doesn't move. If "No" , cursor moves to E21.
D1a and D2a	D2a >D1a	You recorded that the patient drank "to intoxication" (D2) more days than total number of days drinking any alcohol at all (D1). Probe and recode D1. Remember D2 is a sub-set of D1.	OK	After D2a is entered. Cursor moves to D1a.
D1b and D2b	D2b > D1b	You recorded that the patient drank "to intoxication" (D2) more years than total number of years drinking any alcohol at all (D1). Probe and recode D1. Remember D2 is a sub-set of D1.	Ok	After D2b is entered. Cursor moves to D1b.
D1-D12 and G20	G20>0 and any item D1a-D12a=30	You recorded in the general information section that the patient had been in a controlled environment in the past month, yet they used either drugs or alcohol every day. Please review this. Do you want to change any information in the drug/alcohol grid?	Yes/No	Pop-up after D12a is entered. If "Yes" , the cursor moves to D1a. If "No" , cursor moves to D12b.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

D14 and D1-D12	D14=3 - 12 or 16 and D1a>15	You report that the patient's problem does not include alcohol, however, the patient used alcohol at least 15 days in the past month. Please review this and consider option "Alcohol and one or more drugs" for question D14. Do you want to change D14?	Yes/No	Pop-up after D14 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to D15.
D16 and D1a-D12a	D16=0 or 00 and D1a-D12a>0	You recorded that the patient is "still sober", however, drug or alcohol use in the past 30 days is documented in the drug and alcohol grid. Please review this. Do you want to change D16?	Yes/No	Pop-up after D16 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to D17.
D17	D17>5	You recorded more than 5 episodes of DT's for this patient. This is extremely rare, please review the definition of DT's if you are unsure. Do you want to change it?	Yes/No	Pop-up after D17 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to D18.
D19 and D21	D19=0 or 00 and D21>00	You recorded that the patient never had any treatments for alcohol abuse, so # of detox treatments is not applicable. Do you want to recode (D19), the total number of treatments received?	Yes/No	Pop-up after D21 is entered. If "Yes" , the cursor moves to D19. If "No" , cursor moves to D23.
D19 and D21	D19>0, and D21>D19	You recorded that the patient had more detox treatments than the total number of treatments received for alcohol abuse. Remember D21 is a sub-set of D19. Do you want to recode D19?	Yes/No	Pop-up after D21 is entered. If "Yes" , the cursor moves to D19. If "No" , cursor moves to D23.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

D20 and D22	D20>0, and D22>D20	You recorded that the patient had more detox treatments that the total number of treatments received for drug abuse. Remember D22 is a sub-set of D20. Do you want to recode D20?	Yes/No	Pop-up after D22 is entered. If "Yes" , the cursor moves to D20. If "No" , cursor moves to D24.
D20 and D22	D20=0 or 00 and D22>00	You recorded that the patient never had any treatments for drug abuse, so # of detox treatments is not applicable. Do you want to recode (D20), the total number of treatments received?	Yes/No	Pop-up after D22 is entered. If "Yes" , the cursor moves to D20. If "No" , cursor moves to D24.
D3a-D12a, and, D24	Any item D3a-D12a>0 and D24=0, 00, 000, 0000, or 00000.	You recorded days of drug use in the past 30 days, but no money spent on drugs, please review this. Do you want to change D24?	Yes/No	Pop-up after D24 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to D25.
D26, D28, and D30	D26>0 and D28 and/or D30=0	In an earlier question (D26), you recorded that the patient had experienced some days with alcohol problems in the past 30 days. If this is true, then we would expect the patient would be at least slightly bothered or slightly in need of treatment for these problems. Do you want to change your code on D28 and/or D30?	Yes/No	Pop-up after D30 is entered. If "Yes" , the cursor moves to D28. If "No" , cursor moves to D27.
D26, D28, and D30	D26=0 or 00 and D28 or D30>0.	In an earlier question (D26), you recorded that the patient had no alcohol problems in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to D26 and identify the number of days the problem has bothered them.	OK	Pop-up after D30 is entered. Cursor moves to D26.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

D27, D29, and D31	D27>0 and D29 and/or D31=0	In an earlier question (D27), you recorded that the patient had experienced some days with drug problems in the past 30 days. If this is true, then we would expect the patient would be at least slightly bothered or slightly in need of treatment for these problems. Do you want to change your code on D2 and/or D31?	Yes/No	Pop-up after D31 is entered. If "Yes" , the cursor moves to D29. If "No" , cursor moves to D32.
D27, D29, and D31	D27=0 and D29 or D31>0.	In an earlier question (D27), you recorded that the patient had no problems with drugs in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to D27 and identify the number of days the problem has bothered them.	OK	Pop-up after D31 is entered. Cursor moves to D27.
L3-L16 and L17	L3 through L16 total > L17	You recorded the patient had more convictions than the total number of times they were arrested and charged (L3 to L16). This is unusual. Do you want to change L17?	Yes/No	Pop-up after L17 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to L18.
L2 and L3-L16, L18-L20.	L2=1 and all L3-L16 and L18-L20=0 or 00.	In an earlier question (L2), you indicated the patient is on probation or parole. However, no arrests or charges are documented in items L3-L20. Do you want to recode any legal charges?	Yes/No	Pop-up after L20 is entered. If "Yes" , the cursor moves to L3. If "No" , cursor moves to L21.
L24 and L3-L16, L18-L20	L24=1, and L3-L16 and L18-L20=0 or 00	You recorded the patient is awaiting charges, trial or sentence (L24), but no arrests and/or charges are coded in L3-L16 or L18-L20. Do you want to recode any of the charges?	Yes/No	Pop-up after L24 is entered. If "Yes" , the cursor moves to L3. If "No" , cursor moves to L25.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

L24 and L25	L24=0, and L25>0	You recorded the patient was not awaiting charges, trial or sentence (L24), yet you coded a charge in L25 (which would be not applicable). Do you want to recode L24?	Yes/No	Pop-up after L25 is entered. If "Yes" , the cursor moves to L24. If "No" , cursor moves to L26.
L26 and G19	G19=2 and L26=0 or 00	In the general information section, you recorded that the patient had been in jail in the past 30 days, this is usually also represented in L26. Do you want to change your code on L26?	Yes/No	Pop-up after L26 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to L27.
L27 and E17	E17>0 and L27=00	In the employment section, you recorded that the patient had illegal income in the past 30 days, this is usually also documented in L27. Do you want to change your code on L27?	Yes/No	Pop-up after L27 is entered. If "Yes" , the cursor does not move. If "No" , cursor moves to L28.
F30, F32, and F34	F30>0 and F32 and/or F34=0	In an earlier question (F30), you recorded that the patient had some family conflicts in the past 30 days. If this is true, then we would expect that the patient would be at least slightly bothered or slightly in need of treatment. Do you want to recode F32 or F34?	Yes/No	Pop-up after F34 is entered. If "Yes" , the cursor moves to F32. If "No" , cursor moves to F31.
F30, F32, and F34	F30=0 or 00 and F32 and/or F34>0.	In an earlier question (F30), you recorded that the patient had no family conflicts in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Do you want to go back to F30 and identify the number of days the problem has bothered them?	Yes/No	Pop-up after F34 is entered. Cursor moves to F30.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

F31, F33, and F35	F31>0 and F33 and/or F35=0	In an earlier question (F31), you recorded that the patient had some conflicts with others in the past 30 days. If this is true, then we would expect that the patient would be at least slightly bothered or slightly in need of treatment for this recent problem. Do you want to recode F33 or F35?	Yes/No	Pop-up after F35 is entered. If "Yes" , the cursor moves to F33. If "No" , cursor moves to F36.
F31, F33, and F35	F31=0 and F33 or F35>0.	In an earlier question (F31), you recorded that the patient had no conflicts with others in the past 30 days. Since they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Do you want to go back to F31 and identify the number of days the problem has bothered them?	Yes/No	Pop-up after F35 is entered. Cursor moves to F31.
P1, P2 and P10a/b	P1 + P2=0 or 00 and P10 a or b (past 30 days or lifetime)=1	You recorded that the patient has not had inpatient or outpatient treatment for psychiatric problems (P1 and P2), yet they have attempted suicide. Please review treatment they may have received for the suicide attempt. Do you want to recode P1 or P2?	Yes/No	Pop-up after P10a and b are entered. If "Yes" , the cursor moves to P1. If "No" , cursor moves to P11a.
P1, P2 and P11a/b	P1 + P2=0 or 00 and P11 a or b (past 30 days or lifetime)=1	You recorded that the patient has not had inpatient or outpatient treatment for psychiatric problems (P1 and P2), yet they have been prescribed medications for psychiatric problems. Please review treatment they may have received. Do you want to recode P1 or P2?	Yes/No	Pop-up after P11a and b are entered. If "Yes" , the cursor moves to P1. If "No" , cursor moves to P12.
P3 and E15	E15=0, 00, 000, 0000, or 0000 and P3=1	You recorded that the patient receives a pension for a psychiatric problem (P3). Unless they did not receive any cash this month, this income is generally recorded in the employment question about pension money received (E15). Go back and change E15 in the Employment section.	OK	Pop-up after P3 is entered. Cursor doesn't move.

Example: Select a rule from the table below. Answer the specified items in a way that should trigger a message. The specified message should appear.

P4a-P10a and P12	P4a through P10a=0 or 00, and P12>0	You report that the patient has had problems in the past 30 days, but none are recorded in the psychiatric symptom list P4 through P10. Please review P4 through P10, do you want to go back and change the code of any of the symptoms?	Yes/No	Pop-up after P12 is entered. If "Yes" , the cursor moves to P4. If "No" , cursor moves to P13.
P4a-P10a and P12	P4a through P10a>0 and P12=0	You report that the patient has had no problems in the past 30 days, but problems are evident from the psychiatric symptom list P4 through P10, please probe about the number of days these symptoms bothered the client and recode P12.	OK	Pop-up after P12 is entered. Cursor does not move.
P9a and P10a	P9a and/or P10a=1	You report that the client has said they have either suicidal ideation or have attempted suicide in the past 30 days. Probe further for a plan for the suicide and/or dates of the suicide attempt. Notify your supervisor of these responses.	OK	After P10a is entered. Cursor moves to P10b.
P12, P13, and P14	P12>0 and P13 and/or P14=0.	You report that the patient had psychiatric problems in the past 30 days, (P12). Given these problems, we would expect that the patient would be at least slightly bothered or slightly in need of treatment for this recent problem, please recode P13 and/or P14.	OK	After P14 is entered. Cursor moves to P12.
P12, P13, and P14	P12=0 or 00 and P13 or P14>0.	You report that the patient had no psychiatric problems in the past 30 days (P12). If they report being troubled or wanting treatment, it is fair to expect that they had some problem days. Go back to P12 and identify the number of days the symptoms have bothered the client.	OK	After P14 is entered. Cursor moves to P12.

Options Menu

Example: From the **ASI Data Entry** form, **click** on **Options**, located on the left side of the menu bar and the drop-down menu will appear. The drop-down menu contains the three options, Default Form Size/Position, Highlight Color, and Speed Tab.

The screenshot displays the 'Addiction Severity Index for ZZZZ SSM: 528.38 3610' window. The 'Options' menu is open, showing three options: 'Default Form Size/Position', 'Highlight Color...', and 'Speed Tab'. The form is titled 'General Information' and contains the following fields:

- Q4. Date of Admission:** 5/16/2002
- Q5. Date of Interview:** 5/16/2002
- Q8. Interview Form (ASI Type):**
 - ☒ 1. Full Intake
 - ☐ 2. Lite Intake
 - ☐ 3. Follow-up
- Q9. Contact Type:**
 - ☒ 1. In person
 - ☐ 2. Phone
- Q11. Interviewer:** Schultz, Roger F
- Q12. Special:**
 - ☐ 1. Patient terminated
 - ☐ 2. Patient refused
 - ☐ 3. Patient unable to respond
 - ☒ 4. Interview completed
- *Q14. How long have you lived at this address?** Years: Months:
- Q15. Is this residence owned by you or your family?**
 - ☐ 0. No
 - ☐ 1. Yes
 - ☐ X. Not Answered
- Q17. Race:**
 - ☐ 1. White (not Hispanic)
 - ☐ 2. Black (not Hispanic)
 - ☐ 3. American Indian
 - ☐ 4. Alaskan Native
 - ☐ 5. Asian or Pacific Islander
 - ☐ 6. Hispanic - Mexican
 - ☐ 7. Hispanic - Puerto Rican
 - ☐ 8. Hispanic - Cuban
 - ☐ 9. Other Hispanic
- Q18. Religious Preference:**
 - ☐ 1. Protestant
 - ☐ 2. Catholic
 - ☐ 3. Jewish
 - ☐ 4. Islamic
 - ☐ 5. Other
 - ☐ 6. None
- *Q19. Have you been in a controlled environment in the past 30 days?**
 - ☐ 1. No
 - ☐ 2. Jail
 - ☐ 3. Alcohol or Drug Treatment
 - ☐ 4. Medical Treatment
 - ☐ 5. Psychiatric Treatment
 - ☐ 6. Other (specify)
 - ☐ X. Not Answered
 - ☐ N. Not Applicable
- General Comments:**


At the bottom of the form, there are tabs for different sections: General Info, Medical, Employment, Drug/Alcohol, Legal, Family-Hx, Social, Psychiatric, Spiritual, and Lifestyle. The 'General Info' tab is currently selected. Below the tabs, there is a note: 'Click on down arrow for list of programs. F1 for help.'

Default Form Size/Position

The Default Form Size/Position option is the same as the [Default Form Size/Position](#) option located on the **main Mental Health Assistant window** and will not be listed again.

Highlight Color

Example: From the **ASI Options**, click on the **Highlight Color drop-down list box**, the Highlight color list will appear. Colors used to depict highlighted-text can be modified by the user. The default colors are black lettering on a yellow background. To change the foreground or background, use the **Highlight Color Foreground** or **Background drop-down list boxes** to select the desired colors. If the user selects the same color for both foreground and background, the item would not be visible and an error message would appear.



Speed Tab

The Speed Tab is provided to make data entry faster. ASI Items that require a simple click (or single keystroke) will move to the next item without the user pressing the **Tab** or **Enter** keys. This is particularly helpful on the Social and Psychiatric sections of the ASI.

Example: From the **ASI Data Entry form**, click on **Options** and, from the drop-down menu click on **Speed Tab**. The “Speed Tab” is toggled, (i.e., checked if unchecked, or unchecked if checked).

Addiction Severity Index for Z Z22 SSN: 528-38-3610

File Options Help

Default Form Size/Position
Highlight Color...
☒ Speed Tab

General Information

INTERVENTION/EDUCATION/REFERRAL

G4 Date of Admission: 5/16/2002 G5 Date of Interview: 5/16/2002

G8 Interview Form (ASI Type):
☒ 1. Full Intake ☐ 2. Life Intake ☐ 3. Follow-up
 G9 Contact Type:
☒ 1. In person ☐ 2. Phone

G11 Interviewer: Schultz, Roger F

G12 Special:
☐ 1. Patient terminated ☐ 3. Patient unable to respond
☐ 2. Patient refused ☒ 4. Interview completed

*G14. How long have you lived at this address? Years: Months:

G15. Is this residence owned by you or your family?
☐ 0. No ☐ 1. Yes ☐ X. Not Answered

G17. Race:
☐ 1. White (not Hispanic) ☐ 4. Alaskan Native ☐ 7. Hispanic - Puerto Rican
☐ 2. Black (not Hispanic) ☐ 5. Asian or Pacific Islander ☐ 8. Hispanic - Cuban
☐ 3. American Indian ☐ 6. Hispanic - Mexican ☐ 9. Other Hispanic

G18. Religious Preference:
☐ 1. Protestant ☐ 3. Jewish ☐ 5. Other
☐ 2. Catholic ☐ 4. Islamic ☐ 6. None

*G18. Have you been in a controlled environment in the past 30 days?
☐ 1. No ☐ 4. Medical Treatment ☐ X. Not Answered
☐ 2. Jail ☐ 5. Psychiatric Treatment ☐ N. Not Applicable
☐ 3. Alcohol or Drug Treatment ☐ 6. Other (specify)

G20. How many days?

General Comments:


Q General Info M Medical E Employment D Drug/Alcohol L Legal H Family Hx F Social P Psychiatric Spiritual Leisure

Click on down arrow for list of programs, F1 for help.

Help Menu Options

Opening the Help File


Example: From the **ASI Data Entry form**, **click** on the **Help** menu, then **click** on **Clinical Use of ASI**. The Help file designed for the clinician is opened. The information displayed is from the University of Pennsylvania/Veterans Administration Center for Studies of Addiction (1977).



Using the Help Index


The Help Index contains information concerning the operation of the Mental Health programs.

Example: From the **ASI Data Entry** form, **click** on the **Help menu**. From the **Help menu** drop-down list box, **click** on the **Help Index option**, which displays the **Help Topics**. Below the **Help Topics: ASI.hlx** window the **Index and Find** tabs are displayed.



About Mental Health Assistant

From the **ASI Data Entry form**, click on the **Help menu** and the [About Form](#) is displayed. To close the window, **click** on the **OK** button, or **click** on the '**X**' located on the upper right corner of the **About Mental Health Assistant** title bar, or **press CTL+O** from the keyboard.




Close an ASI Data Entry form

You can exit the ASI Data Entry form by doing one of the following:

- 1) Press the ESC key
- 2) Press the Alt-F4 key combination
- 3) Click on the File | Exit Menu
- 4) Click on the “Finish” button (located at the end of the Psychiatric section)

When one of these methods is used to exit the form, an Addition Severity Index Termination window will appear. Here are the options presented in that window:



- 1) **Cancel** (Return to ASI, Do not exit) or press **ALT+C**.

Note: The user is returned to the **ASI Data Entry form** acknowledging that more work is needed on the ASI.

- 2) **Exit immediately** (Save nothing) or press **ALT+E**.

Note: The user may exit the **ASI Data Entry form** without saving any data. This options returns the user back to the **ASI window**.

- 3) **Finish later** (Save but do not sign) or press **ALT+F**.

Note: The ASI is saved to complete at a later time. This options returns the user back to the **ASI window**.

- 4) **Save and sign** or press **ALT+S**.

Note: This option will verify the items for appropriate responses—see business rules—and ensure that the ASI is complete. Once the ASI is verified and saved, the user can provide an electronic signature.

New Features

In addition to the new way to entry an ASI, two new “data views” are provided by the release of MHA. Both **Domain Scores** and **Item Trends** functionality present graphical and tabular data across multiple interviews.

- The **Domain Scores** gives the user the opportunity to see either problem severity ratings or evaluation factor scores (see Alterman, et al., [1998] “New scales to assess change in the Addiction Severity Index for the opioid, cocaine, and alcohol dependent”, *Psychology of Addictive Behavior*, 12, 233-246).
- The **Item Trends** displays responses to selected individual items. These **new** ASI “data views” assist with treatment planning and treatment outcome monitoring.

Domain Scores

The **Domain Scores** is the same display as the [multi-scale graphs Test Results](#), so additional displays of the Domain Scores are not shown.

Example: Click on the **Domain Scores** button and the Domain Score results are depicted in graph and text formats.

Mental Health Assistant in use by: Schultz, Roger F (660Vista)

File Actions Tools Help

Pt. Info: ZZZZ
528-38-3610 Mar 02, 1926 (7)

New ASI Domain Scores Item Trends GAF Not Due

Date	Type	Interviewer	G-12 Special	Signed
04/03/2002	Full	Schultz, Roger F	Not Refused, Terminated or Unable to Respor	Yes
03/12/2002	Full	Schultz, Roger F	Not Refused, Terminated or Unable to Respor	Yes
03/10/2002	Lite	Schultz, Roger F	Not Refused, Terminated or Unable to Respor	No
03/09/2002	Full	Schultz, Roger F	Patient Unable To Respond	Yes

Edit ASI

Report Option:
☒ 1 Narrative Report
☐ 2 Item Report

ZZZ, Z 528-38-3610 ASI FULL on 03/12/2002 by: SCHULTZ, ROGER F
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Mr. Zzz is a 76 year old Black (not Hisp), married male NSC veteran. He lists his religious preference as Catholic. He was admitted to the Compensated Work Therapy/Transitional Residence program on Mar 12, 2002. In the past 30 days, he has been in jail for 2 days.

This report is based on a full ASI interview conducted in person on Mar 12, 2002 by Roger F Schultz. Mr. Zzz completed the interview.

	Severity Rating	Composite Score
MEDICAL	1	0.1778
EMPLOYMENT	1	0.4917
ALCOHOL	X	0.0889
DRUG	X	0.0410
LEGAL	1	0.3067
FAMILY	1	0.4067
PSYCHIATRIC	1	0.7758

Test Results Order Tests ASI GAF

Last ASI was 36 days ago

Item Trends

Example: Click on the **Item Trends** button to display the Item-level data in tabular and graphical form across interviews.

Mental Health Assistant in use by: Schultz,Roger F (660Vista)

File Actions Tools Help

Pt. Info: ZZZZ
528-38-3610 Mar 02,1926 (7)

New ASI Domain Scores **Item Trends** GAF Not Due

Date	Type	Interviewer	G-12 Special	Signed
04/03/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respor	Yes
03/12/2002	Full	Schultz,Roger F	Not Refused, Terminated or Unable to Respor	Yes
03/10/2002	Lite	Schultz,Roger F	Not Refused, Terminated or Unable to Respor	No
03/09/2002	Full	Schultz,Roger F	Patient Unable To Respond	Yes

Edit ASI

Report Option:
☒ 1 Narrative Report
☐ 2 Item Report

ZZZ,Z 528-38-3610 ASI FULL on 03/12/2002 by: SCHULTZ,ROGER F
 *** PSYCHOSOCIAL HISTORY ***

GENERAL INFORMATION

Mr. Zzz is a 76 year old Black (not Hisp), married male NSC veteran. He lists his religious preference as Catholic. He was admitted to the Compensated Work Therapy/Transitional Residence program on Mar 12, 2002. In the past 30 days, he has been in jail for 2 days.

This report is based on a full ASI interview conducted in person on Mar 12, 2002 by Roger F Schultz. Mr. Zzz completed the interview.


	Severity Rating	Composite Score
MEDICAL	1	0.1778
EMPLOYMENT	1	0.4917
ALCOHOL	X	0.0889
DRUG	X	0.0410
LEGAL	1	0.3067
FAMILY	1	0.4067
PSYCHIATRIC	1	0.7758

Test Results Order Tests ASI GAF

Last ASI was 36 days ago


Item Trends (continued)

Example: Item Trends in graphical form




Graphing a Different Item

Example: Click on a different row in the table of item data. The new row is highlighted and the data for that item is graphed. In this example, the item was changed from M6 (previous example) to D23 by **clicking** on the D23 row. D23 data are graphed.



Returning to the ASI Window

Example: Click on the **ASI Reports** button. The original view of the ASI window is restored.



Global Assessment of Functioning (GAF)

The Global Assessment of Functioning (GAF) component is used in the Veterans Health Administration (VHA) to monitor the current and global overall rating functioning of mental health patients. The rating is based on an integrative evaluation of the patient's functioning in a variety of domains, including psychiatric symptoms as well as social, family, legal, and vocational adjustment.

The **new** MHA functionality notifies the user when selected patients have not had a GAF Score within the last 90 days. This notification is accomplished by a command button, which states either **GAF Due** or **GAF not due**. If the user selects the "GAF Due" command button, they are presented with a dialog box that asks the user if they want to do a GAF now. If the user selects "YES", they are taken to the GAF tab automatically.

GAF Tab

The **GAF tab** affords the user an easy way to enter GAF ratings and to see previous ratings, which are graphed to indicate trends. When entering a new rating, the rating is associated with the GAF rating criteria. This new function increases the reliability of ratings and reduces inter-rater variability in the assignment of GAF ratings.

GAF Tab

Example: From the main **Mental Health Assistant** window, **click** on the **GAF** tab, located on the bottom left side of window. When the **GAF** tab is activated for the first time, (i.e., after a new patient is selected), the **GAF Due** command button, located on the right side of the taskbar, is displaying the **New GAF rating** spin edit control box (defaulted to 1), the **Evaluation Date** entry box (defaulted to today's date), and the **Save Rating** command button is disabled. The GAF Range and Criteria table first row is highlighted.

Mental Health Assistant in use by: Schultz, Roger F (660Vista)

File Actions Tools Help

Pt. Info: ZZZZ
528-38-3610 Mar 02, 1926 (7)

Previous Ratings Save Rating Edit Rating GAF Not Due

New GAF rating: 1 Evaluation Date: 5/16/2002


Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).
41-50	Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job).
51-60	Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with peers or co-workers).
61-70	Some mild symptoms (e.g., depressed mood and mild insomnia) OR some difficulty in social, occupational or school functioning (e.g., occasional truancy, or theft within the household), but generally functioning pretty well, has some meaningful interpersonal relationships.
71-80	If symptoms are present, they are transient and expectable reactions to psychosocial stressors (e.g., difficulty concentrating after family argument); no more than slight impairment in social, occupational, or school functioning (e.g., temporarily falling behind in schoolwork).
81-90	Absent or minimal symptoms (e.g., mild anxiety before an exam), good functioning in all areas, interested and involved in a wide range of activities, socially effective, generally satisfied with life, no more than everyday problems or concerns (e.g., an occasional argument with family members).
91-100	Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his or her many positive qualities. No symptoms.

Reprinted with permission from the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition.
Copyright 1994 American Psychiatric Association.

Test Results Order Tests ASI GAF

GAF Due

Example: The **GAF Due command button** is located on the upper right side of the **Mental Health Assistant main window**, regardless of which tab you are on. The **GAF Due command button** is enabled if the patient has **not** had a GAF in the previous 90 days. **Clicking** on the **GAF Due command button** when enabled activates the following **Mental Health Assistant Information dialog box**.




Mental Health Assistant Information dialog box

Example: The **Mental Health Assistant Information dialog box** states, “This patient has **not** had an outpatient GAF in the past 90 days. Would you like to do a GAF rating now?”

Click on the **No command button** or **press ALT+N** on the keyboard to **exit** the **Mental Health Assistant Information dialog box** without changing the tabs.


Click on the **Yes** command button or **press ALT+Y** on the keyboard to activate the following **GAF Due** command button and to display the GAF criteria table.



Previous Rating/GAF Criteria


The previous ratings view includes a tabular and graphical representation of all previous GAF ratings as well as the rating criteria for the specified GAF rating. The **GAF Criteria/Previous Ratings** command button caption always toggles to the view **not** currently shown.

Example: Click on the **GAF Criteria** command button, located on the right side of the (blue) patient identification command button to toggle between the GAF Criteria and the Previous Ratings views.



Entering a Rating Using GAF Criteria

Example: Click on any row of the GAF criteria table. The mid-level rating for that criterion range is entered in the New GAF Rating spin edit control box, and the Save Rating button is enabled. In this example, **clicking** on the 31-40 range criteria inserts a 35 in the New GAF Rating and enables the Save Rating command button.



Mental Health Assistant in use by: Schultz,Roger F (660Vista)

File Actions Tools Help

Pt. Info: ZZZZ
528-38-3610 Mar 02,1926 (7)

Previous Ratings Save Rating Edit Rating GAF Not Due

New GAF rating: 35 Evaluation Date: 5/16/2002

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).
41-50	Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job).
51-60	Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with peers or co-workers).
61-70	Some mild symptoms (e.g., depressed mood and mild insomnia) OR some difficulty in social, occupational or school functioning (e.g., occasional truancy, or theft within the household), but generally functioning pretty well, has some meaningful interpersonal relationships.
71-80	If symptoms are present, they are transient and expectable reactions to psychosocial stressors (e.g., difficulty concentrating after family argument); no more than slight impairment in social, occupational, or school functioning (e.g., temporarily falling behind in schoolwork).
81-90	Absent or minimal symptoms (e.g., mild anxiety before an exam), good functioning in all areas, interested and involved in a wide range of activities, socially effective, generally satisfied with life, no more than everyday problems or concerns (e.g., an occasional argument with family members).
91-100	Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his or her many positive qualities. No symptoms.

Reprinted with permission from the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition.
Copyright 1994 American Psychiatric Association.

Test Results Order Tests ASI GAF

Entering a Rating Using The Spin Edit Control

Change the rating by typing a number between 1-100 in the **New GAF rating spin edit control box** or by **clicking** on the up or down arrows. The rating in the **New GAF rating spin edit control box** will change. Alpha characters or numbers outside the 1-100 range are not accepted. In the Previous Ratings view the GAF criteria for the specified rating is shown. In the GAF Criteria view, the selected row in the criteria table corresponds to the specified rating. The **Save Rating command button** is enabled.

Example: Changing the rating to 47 changes displays the appropriate criteria in the Previous Ratings view and enables the **Save Rating** command button.

The screenshot shows the 'Mental Health Assistant' window. The title bar indicates it is in use by 'Schultz, Roger F (660Vista)'. The menu bar includes 'File', 'Actions', 'Tools', and 'Help'. Below the menu bar, there is a patient information section with 'Pt. Info: ZZZZ' and '528-38-3610 Mar 02, 1926 (7)'. To the right of this are buttons for 'Previous Ratings', 'Save Rating' (highlighted with a black arrow), 'Edit Rating', and 'GAF Not Due'. Below these buttons is a section for 'New GAF rating:' with a spin edit control showing '47' and an 'Evaluation Date:' dropdown set to '5/16/2002'. A table of GAF criteria is displayed below, with the row for '41-50' highlighted (indicated by a red arrow). The table has two columns: 'Range' and 'Criteria'. At the bottom of the window, there is a copyright notice: 'Reprinted with permission from the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition. Copyright 1994 American Psychiatric Association.' and a row of buttons: 'Test Results', 'Order Tests', 'ASI', and 'GAF'.

Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent; OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute).
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometime incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home and is failing at school).
41-50	Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job).
51-60	Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with peers or co-workers).
61-70	Some mild symptoms (e.g., depressed mood and mild insomnia) OR some difficulty in social, occupational or school functioning (e.g., occasional truancy, or theft within the household), but generally functioning pretty well, has some meaningful interpersonal relationships.
71-80	If symptoms are present, they are transient and expectable reactions to psychosocial stressors (e.g., difficulty concentrating after family argument); no more than slight impairment in social, occupational, or school functioning (e.g., temporarily falling behind in schoolwork).
81-90	Absent or minimal symptoms (e.g., mild anxiety before an exam), good functioning in all areas, interested and involved in a wide range of activities, socially effective, generally satisfied with life, no more than everyday problems or concerns (e.g., an occasional argument with family members).
91-100	Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his or her many positive qualities. No symptoms.

Changing Evaluation Date

Example: From the **Evaluation Date entry box**, click on the **down arrow** to select a previous or present date. **Clicking** on the down arrow produces a calendar. **Clicking** on a date within the calendar will insert a new date into the **date entry box**. **Note:** Future dates and months cannot be selected. To select a **previous month** click on the **left arrow** located on the top of the calendar. To select the **present month** click on the **right arrow** located on the top of the calendar month

Mental Health Assistant in use by: Schultz, Roger F (660Vista)

File Actions Tools Help

Pt. Info: ZZZZ
528-38-3610 Mar 02, 1926 (7)

Previous Ratings Save Rating Edit Rating GAF Not Due

New GAF rating: 47 Evaluation Date: 5/16/2002


Range	Criteria
1-10	Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent suicidal act with clear expectation of death.
11-20	Some danger of hurting self or others (e.g., suicide attempts without clear expectation maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication.
21-30	Behavior is considerably influenced by delusions or hallucinations OR serious impairment incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function at home or friends).
31-40	Some impairment in reality testing or communication (e.g., speech is at times illogical, irrelevant, or incoherent) OR some impairment in judgment, thinking, or mood (e.g., depressed, unable to work; child frequently beats up younger children, is defiant at home and is failing at school).
41-50	Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job).
51-60	Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with peers or co-workers).
61-70	Some mild symptoms (e.g., depressed mood and mild insomnia) OR some difficulty in social, occupational or school functioning (e.g., occasional truancy, or theft within the household), but generally functioning pretty well, has some meaningful interpersonal relationships.
71-80	If symptoms are present, they are transient and expectable reactions to psychosocial stressors (e.g., difficulty concentrating after family argument); no more than slight impairment in social, occupational, or school functioning (e.g., temporarily falling behind in schoolwork).
81-90	Absent or minimal symptoms (e.g., mild anxiety before an exam), good functioning in all areas, interested and involved in a wide range of activities, socially effective, generally satisfied with life, no more than everyday problems or concerns (e.g., an occasional argument with family members).
91-100	Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his or her many positive qualities. No symptoms.

Reprinted with permission from the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition.
Copyright 1994 American Psychiatric Association.

Test Results Order Tests ASI GAF

Save

Example: Click on the **Save** command button. The **New GAF rating** displayed in the spin edit control box is saved. The **New GAF rating** date is displayed in the **Evaluation Date** entry box, and the session user is the rater. The Previous Ratings is updated. The **Save Rating** command button is disabled. The **GAF Due** command button is disabled and the caption is changed to **GAF Not Due**. A **New GAF rating** of 47 is saved as shown in this example.



Edit Rating

Example: The **Edit Rating** command button allows a user to change or delete a rating made within the previous 2 days or to mark a previous rating as Entered in Error. Ratings can ONLY be edited by the user that entered them. The **Edit Rating** command button is enabled only if the MHA session user entered the selected rating.

Mental Health Assistant in use by: Cannon,Dale S (660VISTA)

File Actions Tools Help

Pt. Info: ZZZZZZZZ
000-00-9770 Jan 12,1951 (51)

GAF Criteria Save Rating Edit Rating GAF Not Due

New GAF rating: 1 Evaluation Date: 5/16/2002

GAF 1 Criteria: Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death.

Date	GAF	Clinician
05/16/2002	4	FELDMAN,ROBERT D
03/01/2002	45	CANNON,DALE S
01/30/2002	29	CANNON,DALE S
01/10/1995	45	CANNON,DALE S

Test Results Order Tests ASI GAF


Edit Rating (continue)

Example: Clicking on the **Edit Rating command button** when enabled brings up the following **Mental Health Assistant Information dialog box** if the rating is more than two days old.

The **Mental Health Assistant Information dialog box** states, “You are about to mark the GAF entered on 03/01/2002 as “entered in Error.” If you make this change, you will not be able to undo it.


Do you want to continue?”

Click on the **OK** command button to continue.




Rating Is Marked As Entered In Error

Example: When the user clicks the **OK** command button located on the **Mental Health Assistant** Information dialog box, the rating is marked as **Entered in Error**. This is indicated in the list of previous ratings by strike out font. The rating is no longer included in the graph of previous ratings.




Edit Rating

Example: Clicking on the **Edit Rating** command button, displays a GAF rating (i.e., one less than two days old). The user is presented with a choice of either changing or deleting the GAF rating and then the **Edit GAF** dialog window is displayed.




Edit Rating (continues)

Example: From the previous example, the **Edit Rating** command button is selected and the following **Edit GAF** dialog window is displayed:




Edit Rating (continues)

Example: If the **Change Rating** radio button is clicked, the spin edit control box is displayed to allow the rating to be changed. The new rating overwrites the previous one when the **OK command button** is pressed. In this example, the **Change Rating** radio button is clicked and the rating made on 05/16/2002 has been changed to 53. The **OK** command button is enabled.




Edit Rating (continues)

Example: Clicking the **OK** command button on the previous **Edit GAF** dialog window changes the rating to the new value and returns the user to the GAF tab. Compare the rating for 05/16/2002 in the table and graph below with the table and graph in the original Edit Rating example.



Delete Rating

Example: Clicking the **Delete Rating** radio button deletes the rating when the **OK** command button is pressed. In this example, the **Delete Rating** radio button is pressed, which enables the **OK** command button. When the **OK** command button is clicked, the rating made on 05/16/2002 is deleted.



Glossary

The list of terms are related to the Mental Health Assistant software application:

Terms	Descriptions
API:	Application Programmer Interface
ASI:	Addiction Severity Index
CLIENT:	A computer that accesses shared network resources provided by another computer (called a) server.
CPRS:	Computer Patient Record System
DBIA:	Database Integration Agreement
DESKTOP:	The background on your, on which windows, icon, and dialog boxes appear.
EDIT:	Used to edit position information.
EDIT BOX	This is a box where the user can type in free text from the keyboard.
ELEMENT NAME:	Globally unique descriptive name for the field.
ENHANCEMENT:	An 'enhancement' to an already existing Class I software package is the introduction of new or improved functionality.
FTP:	File Transfer Protocol

Terms	Descriptions
GAF:	Global Assessment of Functioning
GROUP:	In User Manager, an account containing other accounts that are called members. The permissions and rights granted to a group are also provided to its members, which makes groups a convenient way to grant common capabilities to collections of user accounts. For Windows NT, groups are managed with User Manager. For Windows NT Server, groups are managed with User Manager of Domains.
GUI:	Graphical User Interface.
HL7:	Health Level 7
IMR:	Information Resources Management
LENGTH (LEN):	The maximum number of characters that one occurrence of the data field may occupy.
LIST BOX:	Box that shows a list of items. If more items exist than can be seen in the box, a scroll bar appears on the side of the box. Selecting an entry from a list box requires either double clicking the entry or single clicking the entry and pressing the spacebar.
MHP:	Mental Health Package

Terms	Descriptions
OK COMMAND BUTTON:	Adds the new entry after the data has been entered.
OPTION BUTTON:	A small round button that appears in a dialog box. Within a group of related option buttons, you can select only one button at time.
PACKAGE:	An icon that represents an embedded or linked object. When you choose the package, the application that was used to create the object either plays the object (such as sound file) or opens and displays the object.
PASSWORD:	A unique string of characters that must be entered before a logon or an access is authorized. A password is a security measure used to restrict logons to user accounts and access to computer systems and resources. For Windows NT, a password for a user account can be up to 14 characters long and is case-sensitive.
PATH:	Specifies the location of a file within the directory tree. For example, to specify the path of a file named README.WRI located in the WINDOWS directory on drive C, you would type c:\windows\readme.wri.
PID:	Patient Identification

Terms	Descriptions
PSYCHOLOGIST:	Performs patient care duties in accordance with Clinical Privileges as assigned or granted by the appropriate governing committee in the area of Psychology and Mental Health. This may include individuals, family and group counseling and psychotherapy, assertiveness, and other behavior training, etc.
RADIO BUTTON:	Radio buttons appear in sets. Each button represents a single choice and normally only one button may be selected at any one time. For example, MALE or FEMALE may be offered as choices through two radio buttons. Click in the button to select it.
RETURN:	Closes the window. If there are any changes that have not been saved, you will get a confirmation message asking you if you want to continue without saving; save before exiting; or cancel the close action and return to the window.
RIGHT MOUSE BUTTON or SHIFT F10:	You may click the right mouse button or press Shift F10 for a popup box of menu items.
RPC BROKER:	Remote Producers Call Broker

Terms	Descriptions
RPC:	Remote Producers Call, a message-passing facility that allows a distributed application to call services available on various computers in a network. Used during remote administration of computers.
Save to File (Save AS):	This is a standard feature of Microsoft applications where the user can type the name of the file to be saved. The user can also define the drive and directory where the file is to be saved. In some cases the file name presented in the edit box is sufficient and the user merely needs to click on the “Ok” button to save the file.
SHARE:	To make resources, such as directories, printers, and ClipBook pages, available to network users.
Status Bar:	A line of information related to the application running in the window. Usually located at the bottom of a window. Not all windows have a status bar.
Task List:	A window that shows all running applications and enables you to switch between them. You can open Task List by choosing Switch To from the Control menu or by pressing CTRL=ESC.

Terms	Descriptions
Tab Key:	Use the TAB key or the mouse to move between fields. Do not use the RETURN key. The RETURN key is usually reserved for the default command button or action (except in menu fields).
TCP/IP:	Transmission Communication Protocol/Internet Protocol
TEXT BOX:	Type the desired characters into the edit box. The selected entry will not be effective until you tab off or exit from the text box.
TOOLBAR:	A series of shortcut buttons providing quick access to commands. Usually located directly below the menu bar. Not all windows have a toolbar.
TRANSPORT LAYER:	The fourth layer of the OSI model. It ensures that messages are delivered error-free, in sequence, and with no losses or duplications. This layer repackages messages for their efficient transmission over the network. At the receiving end, the Transport layer unpacks the message, reassembles the original messages, and sends an acknowledgement of receipt.
UID:	Unique Identifier

Terms	Descriptions
VA:	Veterans Administration
VHA:	Veterans Health Administration
VAMC:	Department of Veterans Affairs Medical Center
VERA:	Veterans Equitable Resource
VISN:	Veterans Integrated Service Network
VISTA:	Veterans Health Information Systems and Technology Architecture
WORKSTATION:	In general, a powerful computer having considerable calculating and graphics capability. For Windows NT, computers running the windows NT operating systems are called workstations, as distinguished from computers running Windows NT Server, which are called servers.

Appendix A

This is a list of shortcut keys use in the Mental Health Assistant Graphical User Interface software application:

(Note: When going from one menu option to a sub-menu, do not release the Alt key.)

Shortcut Keys

About Window

Alt-O	OK
ESC	Exit

Append Test Comments Window

Alt-C	Cancel
Alt-S	Save
ESC	Exit

ASI Window

Alt-C	Actions Menu
Alt-E	Edit ASI
Alt-F	File Menu
Alt-G	GAF
Alt-H	Help Menu
Alt-I	Item Trends
Alt-L	Tools Menu
Alt-N	Patient Information
Alt-T	Test Results
Alt-O	Order Tests
Alt-S	Domain Scores
Alt-W	New ASI data entry
Alt-1	Narrative Report
Alt-2	Item Report
ESC	Exit

ASI Data Entry Window

Alt-D	Drug/Alcohol Use Section
Alt-E	Employment/Support Section
Alt-G	General Information Section
Alt-H	Help
Alt-I	Spiritual Comments Section
Alt-L	Legal Status Section
Alt-M	Medical Status Section
Alt-O	Options
Alt-P	Psychiatric Status Section
Alt-R	Leisure Comments Section
Alt-S	Family/Social Relationships Section
Alt-A	Family History Section
Alt-F4	Exit
ESC	Exit

F1 Help for the highlighted item

Main Menus

Alt-F		File
	E	Exit
Alt-O		Options
	D	Default Window Size/Position
	H	Highlight Color
	S	Speed Tab
Alt-H		Help
	S	Show Clinical Hints
	C	Clinical Use of ASI
	I	Help Index
	A	About

ASI Options Window

Alt-C	Cancel
Alt-O	OK
ESC	Exit

ASI Signature Window

Alt-C	Cancel
Alt-O	OK
ESC	Exit

ASI Termination Window

Alt-C	Cancel
Alt-E	Exit
Alt-F	Finish later
Alt-S	Save and sign
ESC	Exit

Clerk Entry Window

Alt-J	Jump
Alt-R	Return
ESC	Exit

Edit GAF Rating Window

Alt-C	Cancel
Alt-O	OK
ESC	Exit

Main Window

Main Menus

Alt-F	File	
	Alt-S	Select New Patient
	Alt-R	Reports/Tables
	Alt-P	Print
	Alt-C	Copy
	Alt-S	Save As
	Alt-G	Graphs
	Alt-P	Print
	Alt-C	Copy
	Alt-S	Save As
Alt-C	Actions	
	(Visible when on Test Results tab)	
	Alt-M	Multiscale Graphs
	Alt-E	Enlarge Report
	Alt-A	Append Comments
	(Visible when on Order Tests tab)	
	Alt-S	Staff Entry
	Alt-K	Clerk Entry
	Alt-P	Patient Entry
	(Visible when on ASI tab)	
	Alt-W	New ASI
	Alt-S	Domain Scores
	Alt-I	Item Trends
	(Visible when on GAF tab)	
	Alt-P	Previous Ratings
	Alt-S	Save Rating
	Alt-E	Edit Rating

(Visible on all tabs)		
	Alt-T	Change Tab
	Alt-T	Test Results
	Alt-O	Order Tests
	Alt-A	ASI
	Alt-G	GAF
	Alt-D	Patient Demographics
	Alt-U	GAF Due
Alt-S		Tools
	Alt-S	Start Tab
	Alt-D	Default Form Size/Position
Alt-H		Help
	Alt-S	Show Hints
	Alt-T	Test Information
	Alt-A	About
Pop-Up Menus		
	Alt-R	Reports/Tables
	Alt-P	Print
	Alt-C	Copy
	Alt-S	Save As
Alt-G		Graphs
	Alt-P	Print
	Alt-C	Copy
	Alt-S	Save As
Alt-T		Test Results
Alt-O		Order Tests
Alt-A		ASI
Alt-G		GAF
(Visible from Test Results tab)		
	Alt-M	Multiscale Graphs
	Alt-E	Enlarge Report
	Alt-A	Append Comments
(Visible from Order Tests tab)		
	Alt-S	Staff Entry
	Alt-K	Clerk Entry
	Alt-P	Patient Entry

(Visible from ASI tab)

Alt-W New ASI

Alt-S Domain Scores

Alt-I Item Trends

(Visible from GAF tab)

Alt-P Previous Ratings

Alt-S Save Rating

Alt-E Edit Rating

ESC

Exit

MCMII2 Window

Alt-O OK

Alt-I Inpatient

Alt-U Outpatient

Alt-1 Less than 1 week

Alt-2 One to 4 weeks

Alt-3 One to 3 months

Alt-4 Three to 12 months

Alt-5 Periodic; 1 to 3 years

Alt-6 Continuous; 1 to 3 years

Alt-7 Periodic; 3 to 7 years

Alt-8 Continuous; 3 to 7 years

Alt-9 More than 7 years

Alt-0 Cannot categorize

ESC

Exit

Patient Demographics Window

Alt-C Copy

Alt-P Print

Alt-S Save to File

Alt-R Return

ESC

Exit

Test Entry Window (both Staff and Patient Entry)

Alt-B Backup

Alt-N New Question

Alt-R Return

ESC

Exit

Test Graph Window (also ASI Domain Score Window)

Alt-C	Copy Graph
Alt-P	Print Graph
Alt-S	Save Graph
Alt-O	Copy Table
Alt-R	Print Table
Alt-A	Save Table
Alt-R	Return
ESC	Exit

Test Report Window

Alt-C	Copy
Alt-P	Print
Alt-S	Save to File
Alt-R	Return
ESC	Exit

Start Tab Options Window

Alt-C	Cancel
Alt-O	OK
Alt-1	Test Results
Alt-2	Order Tests
Alt-3	ASI
Alt-4	GAF
ESC	Exit

Appendix B

This section contains descriptions of the many windows commands and features used in MHA GUI software application:

Windows Conventions

Cancel

Cancels the latest entry (up until the OK or SAVE button is clicked).

Check Box

Toggles between a YES/NO and ON/OFF setting. Usually a square box containing a check mark or x. Clicking the box or pressing the spacebar toggles the check box setting.

Close

Closes the window. If there are any changes that have not been saved, you will get a confirmation message asking you if you want to continue without saving; save before exiting; or cancel the close action and return to the window.

Command Button

The Command button initiates an action. It is a rectangular box with a label that specifies what the button does. Command buttons that end with three dots indicate that a subsidiary screen may be evoked by selecting the command.

Date Field

Identified by “__/__/__” or a date “mm/dd/yy”. Will usually have an associated popup calendar. Double clicking with the mouse inside the date edit box, or tabbing to the edit box and then pressing the F2 key, displays the calendar. Clicking on the desired date, or using the arrow keys to move to a date and then pressing the spacebar, selects the date. Each component of the date (month/day/year) must consist of two characters (i.e., 02/02/96). The selected entry will not be effective until you tab off or exit from the date field.

Drop Down List

A list box containing an arrow button on the right side which displays one entry at a time. Choose from a vertical list of choices. Select the entry you want by clicking the list entry. You cannot type in this box, only select an item from the list. Once an entry is selected, it cannot be deleted - only changed. If <None> is the last entry, selecting it will clear the list entry. If <More> is the last entry, selecting it will display additional entries. The selected entry will not be effective until you tab off or exit from the drop down list.

Edit

Used to edit position information.

Edit Box

This is a box where the user can type in free text from the keyboard.

F2 Key

Where there is an additional action, which may be taken on a field, pressing the F2 key will initiate that action.

Form Buttons

Buttons, which appear on tab pages, apply only to that tab and not the entire form. If there are action buttons on both the tab page and the form, the tab button should normally be clicked first.

Help

Provides help for the area you are currently working in.

List Box

List Box that shows a list of items. If more items exist than can be seen in the box, a scroll bar appears on the side of the box. Selecting an entry from a list box requires either double clicking the entry or single clicking the entry and pressing the spacebar.

Lookup Box

Choose from a vertical list of choices. By typing in a few characters and pressing the ENTER or TAB key, a list of matching entries drops down. Select the entry you want by clicking the list entry. Entering a question mark and then pressing ENTER or TAB, or clicking the down arrow on an empty edit field, gives a complete listing of available entries. If <More> is the last entry, selecting it will display additional entries.

OK

Adds the new entry after the data has been entered.

Radio Button

Radio buttons appear in sets. Each button represents a single choice and normally only one button may be selected at any one time. For example, MALE or FEMALE may be offered as choices through two radio buttons. Click in the button to select it.

Return

Closes the window. If there are any changes that have not been saved, you will get a confirmation message asking you if you want to continue without saving; save before exiting; or cancel the close action and return to the window.

Right Mouse Button or Shift F10

You may click the right mouse button or press Shift F10 for a popup box of menu items.

Save

Saves all changes made since the last save action. If you attempt to save and all required fields have not yet been completed, you will receive notification that the required fields must be completed before saving.

Save to File (Save AS)

This is a standard feature of Microsoft applications where the user can type the name of the file to be saved. The user can also define the drive and directory where the file is to be saved. In some cases the file name presented in the edit box is sufficient and the user merely needs to click on the "Ok" button to save the file.

Tab Key

Use the TAB key or the mouse to move between fields. Do not use the RETURN key. The RETURN key is usually reserved for the default command button or action (except in menu fields).

Text Box

Type the desired characters into the edit box. The selected entry will not be effective until you tab off or exit from the text box.

View Box

This is a box that displays text but does not allow editing (read only).